













































**Expansion Valve Catalogue**













Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
<b>W TYPE EXPANSION VALVE SERIES</b>					
HC.18.0001	Application:TOYO/MITSUBISHI Intet:9/16"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T OE:T-88515-16040		HC.18.0002	Application:MAZDA Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T OE:M-67-B40B-6A	
HC.18.0003	Application:TOYOTA Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5T-2.0T OE:T-88515-10010		HC.18.0004	Application:TOYOTA Intet:M16*1.5 Outlet:M22*1.5 Fitting:O-ring Usrt:0.5T-2.0T OE:T-88515-34010	
HC.18.0005	Application:NISSAN/DAEWOO Intet:M16*1.5 Outlet:M20*1.5 Fitting:O-ring Usrt:0.5T-2.0T OE:N-92200-S9201T		HC.18.0006	Application:HONDA Intet:M16*1.5 Outlet:M22*1.5 Fitting:O-ring Usrt:0.5T-2.0T OE:H-80221-SOX-A51	
HC.18.0007	Application:GM Intet:M16*1.5 Outlet:M22*1.5 Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0008	Application:MITSUBISHI Intet:9/16"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	
HC.18.0009	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:1.5T		HC.18.0010	Application:HONDA Intet:9/16"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T OE:H-80220-SD4-003	
HC.18.0011	Application:MAZDA/FORD Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T OE:M-67-B40B-6A/F-D60Z-19849-A		HC.18.0012	Intet:9/16"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	
HC.18.0013	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0014	Application:HYUNDAI Intet:M16*1.5 Outlet:M20*1.5 Fitting:O-ring Usrt:0.5T-2.0T OE:D-4253-0091	













Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.0015	Application:MITSUBISHI Intet:9/16"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:1.0T		HC.18.0016	Application:NISSAN/ISUZU/HYUNDAI Intet:M16*1.5 Outlet:M20*1.5 Fitting:O-ring Usrt:0.5T-2.0T OE:1-153-030-1950/1-8-97229-628-0	
HC.18.0017	Application:MITSUBISHI Intet:M16*1.5 Outlet:M22*1.5 Fitting:O-ring Usrt:0.5T-2.0T OE:M-MR201955		HC.18.0018	Application:GM Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5-2.0T	
HC.18.0019	Application:GM Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5-2.0T		HC.18.0020	Application:GM/FORD/JEEP Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-RING Usrt:0.5-2.0T OE:G-5910590	
HC.18.0021	Application:TOYOTA Intet:9/16"-18UNF Outlet:3/4"-16UNF Fitting:O-RING Usrt:0.5-2.0T OE:T-88515-28060		HC.18.0022	Application:GM Intet:M16*1.5 Outlet:M20*1.5 Fitting:O-ring Usrt:0.5T OE:G-89022575	
HC.18.0023	Application:TOYOTA Intet:M16*1.5 Outlet:M22*1.5 Fitting:O-ring Usrt:0.5T OE:T-88515-60020		HC.18.0024	Application:TOYOTA Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare	
HC.18.0025	Intet:3/8"inch Outlet:1/2"inch Fitting:Flare Refrigerant:R410A		HC.18.0026	Intet:3/8"inch Outlet:1/2"inch Fitting:Flare Working pressure max:34.0BAR Refrigerant:R410A Capillary tube length:1500mm	
HC.18.0027	Intet:9/16"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0028	Application:VOLVO Intet:9/16"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	
HC.18.0029	Application:HONDA Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0030	Application:HONDA Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5T-2.0T	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.0031	Intet:1/2"-20UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0032	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	
HC.18.0033	Application:NISSAN Intet:M16*1.5 Outlet:M20*1.5 Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0034	Application:NISSAN Intet:M16*1.5 Outlet:M20*1.5 Fitting:O-ring Usrt:0.5T-2.0T	
HC.18.0035	Application:HONDA Intet:M16*1.5 Outlet:M22*1.5 Fitting:O-ring Usrt:1.2T S-AN153JB OE:H-80220-S3V-AS1		HC.18.0036	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5T-2.0T Part NO.:E-310300	
HC.18.0037	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5T-2.0T		HC.18.0038	Application:FORD Intet:5/8"-18UNF/M14*1.5 Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T Part NO.:F-E7G2-19839-A	
HC.18.0039	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5T-2.0T Part NO.:G-15-5366		HC.18.0040	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T Part NO.:M-67-B408-64	
HC.18.0041	Application:FORD Intet:5/8"-18UNF Outlet:3/4"-16UNF 5/8"-18UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0042	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	
HC.18.0043	Application:GM Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0044	Application:FORD Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	



























Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.0045	Application:FORD Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0046	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	
HC.18.0047	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T Part NO.:M-3-038-920-M91		HC.18.0048	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T Part NO.:F-YF2H-19849-AA	
HC.18.0049	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0050	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:4.0T	
HC.18.0051	Intet:M16*1.5 Outlet:M20*1.5 Fitting:O-ring Usrt:0.5T-2.0T OE:G-52459600		HC.18.0052	Application:GM Intet:M18*1.5 Outlet:M20*1.5 Fitting:O-ring Usrt:0.5T-2.0T OE:G-52459599	
HC.18.0053	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5T-2.0T		HC.18.0054	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5T-2.0T	
HC.18.0055	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0056	Application:GM Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	
HC.18.0057	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:Flare Usrt:0.5T-2.0T		HC.18.0058	Application:AUDI Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.0059	Intet:5/8"-18UNF Outlet:3/4"-16UNF Fitting:O-ring Usrt:0.5T-2.0T		HC.18.0060	Application: MITSUBISHI Intet:9/16"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.0T OE:M-MR168189	
HC.18.0061	Application: TOYOTA/HONDA Intet:9/16"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.0T OE:H-80220-ST7-A11		HC.18.0062	Application: MAZDA/ISUZU/HYUNDAI/SUBARU Intet:5/9"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.0T OE:1-8-97049-428-0	
HC.18.0063	Application: TOYOTA Intet:9/16"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:T-8515-22071		HC.18.0064	Application: HYUNDAI Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:N-97622-28010	
HC.18.0065	Application: NISSAN Intet:M16*1.5 Outlet:M20*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:N-92200-F5001/00A00		HC.18.0066	Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:3.0T	
HC.18.0067	Application: HYUNDAI/NISSAN Intet:M16*1.5 Outlet:M20*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:N-92200-01E00		HC.18.0068	Application: HONDA Intet:M16*1.5 Outlet:M22*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:H-80220-ST7-A02/03	
HC.18.0069	Application: TOYOTA Intet:M16*1.5 Outlet:M22*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:T-88515-22160		HC.18.0070	Intet:M16*1.5 Outlet:M22*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:3.0T OE:F-E30K4QEX	









Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.0071	Application:NISSAN Intet:M16*1.5 Outlet:M20*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:N-92200-51E00		HC.18.0072	Application:LEXUS Intet:M16*1.5 Outlet:M22*1.5 Equalizer:Take to press the plank Fitting:O-ring Usrt:0.5T-2.5T OE:T-88515-2403/2404	
HC.18.0073	Application:LEXUS Intet:9/16"-18UNF Outlet:3/4"-16UNF Equalizer:Take to press the plank Fitting:O-ring Usrt:0.5T-2.5T OE:T-88515-30333		HC.18.0074	Application:MAZDA Intet:M14*1.5 Outlet:M20*1.5 Equalizer:Take to press the plank Fitting:O-ring Usrt:0.5T-2.5T OE:M-GJ51-61-J14	
HC.18.0075	Application:MAZDA Intet:M16*1.5 Outlet:M22*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:H-80220-S30-003		HC.18.0076	Application:MITSUBIS HI Intet:9/16"-18UNF Outlet:3/4"-16UNF Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:M-MR168024	
HC.18.0077	Application:VOLVO Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:V-1215023-1		HC.18.0078	Application:NISSAN Intet:M16*1.5 Outlet:M20*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:N-92200-59G00	
HC.18.0079	Application:VW/VOLVO Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:V-843-800-679A		HC.18.0080	Intet:M16*1.5 Outlet:M20*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:N-92200-59G00	
HC.18.0081	Application:GM Intet:M16*1.5 Outlet:M20*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:G-52473611		HC.18.0082	Application:GM Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:G-52460955	
















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.0083	Application:MAZDA Intet:M14*1.5 Outlet:M20*1.5 Equalizer:M12*1.25 Fitting:O-ring Usrt:0.5T-2.5T OE:M-G151-61-J14		HC.18.0084	Application:BMW/BENZ/AUDI/VW/ISUZU/MAZDA Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:B-321-820-679/1-8-94248-209-0	
HC.18.0085	Application:BMW/BENZ Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:Flare Usrt:0.5T-2.5T OE:B-64511-354-379		HC.18.0086	Application:TOYOTA Intet:9/16"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:Flare Usrt:0.5T-2.5T OE:T-88515-22070	
HC.18.0087	Application:VW Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:Flare Usrt:0.5T-2.5T OE:V-843-800-679A		HC.18.0086	Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:Flare Usrt:0.5T-2.5T OE:P34-307	
HC.18.0077	Application:NISSAN Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:Flare Usrt:0.5T-2.5T OE:N-27627-N5010		HC.18.0088	Application:SAAB Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T	
HC.18.0089	Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T		HC.18.0090	Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T	
HC.18.0091	Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:Flare Usrt:0.5T-2.5T		HC.18.0092	Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:Flare Usrt:0.5T-2.5T	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.0093	Intet:5/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:Flare Usrt:0.5T-2.5T		HC.18.0094	Application:MAZDA Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:M-60-0336-70	
HC.18.0095	Application:GM Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:G-5910768		HC.18.0096	Application:CHRYSLER Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:C-2485758	
HC.18.0097	Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T		HC.18.0098	Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T OE:1-C62386-G2	
HC.18.0099	Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-20UNF Fitting:O-ring Usrt:0.5T-2.5T		HC.18.0100	Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-24UNF Fitting:O-ring Usrt:0.5T-2.5T	
HC.18.0101	Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-24UNF Fitting:O-ring Usrt:0.5T-2.5T OE:F-D70Z-19849-A		HC.18.0102	Intet:3/8"-18UNF Outlet:3/4"-16UNF Equalizer:7/16"-24UNF Fitting:O-ring Usrt:4.0T	
<b>H TYPE EXPANSION VALVE SERIES</b>					
HC.18.5001	Application:GM Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5T-2.5T OE:G-97389283		HC.18.5002	Application:FREIGHTLINER Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5T-2.5T	
















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5003	Application:CADILLAC Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5T-2.5T		HC.18.5004	Application:GM Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5T-2.5T	
HC.18.5005	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5T-2.5T OE:M-123-830-1184		HC.18.5006	Application:VW Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5T-2.5T OE:M-123-830-1184	
HC.18.5007	Application:TRUCK Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5T-2.5T OE:M-123-830-1184		HC.18.5008	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5T-2.5T OE:M-126-830-384	
HC.18.5009	Application:VW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5T-2.5T		HC.18.5010	Application:VW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5T-2.5T	
HC.18.5011	Application:VW/SKODA /SEAT Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" OE:V-6N0820679C		HC.18.5012	Application:PEUGEOT Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5T-2.5T	
HC.18.5013	Application:VW/SKODA /SEAT Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:V-6Q0820679		HC.18.5014	Application:VW Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:V-1K0820679	






Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5015	Application:AUDI Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:A-6N0820679A		HC.18.5016	Application:SAAB Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-4633681	
HC.18.5017	Application:ROVER Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:R-JQD000030		HC.18.5018	Application:VW Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:P-BC447600-2230	
HC.18.5019	Application:AUDI Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5020	Application:MAZDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5021	Application:MCC Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5022	Application:VW Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:A-7L0820679	
HC.18.5023	Application:BMW Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:B-64119182512		HC.18.5024	Application:BMW Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:P-TL0820679C	
HC.18.5025	Application:VW Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5026	Application:VW Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:V-7H0820712	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5027	Application: BENZ Liquid in: 3/8" Liquid out: 5/8" Suction in: 3/4" Suction out: 3/4" Usrt: 0.5-2.5T OE: M-1638300084		HC.18.5028	Application: KIA Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T	
HC.18.5029	Application: DAEWOO Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T		HC.18.5030	Application: KIA Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T	
HC.18.5031	Application: NISSAN Liquid in: 3/8" Liquid out: 5/8" Suction in: 3/4" Suction out: 3/4" Usrt: 0.5-2.5T OE: M-1638300084		HC.18.5032	Application: HYUNDAI Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T OE: H-97604-1C100	
HC.18.5033	Application: HYUNDAI Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T OE: H-97604-25100		HC.18.5034	Application: KIA/CERATO/HYUNDAI Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T OE: H-97626-2D100/2F000	
HC.18.5035	Application: KIA Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T		HC.18.5036	Application: HYUNDAI Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T	
HC.18.5037	Application: HYUNDAI Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T		HC.18.5038	Application: HYUNDAI Liquid in: 5/16" Liquid out: 5/8" Suction in: 5/8" Suction out: 5/8" Usrt: 0.5-2.5T OE: H-97604-17001	





























Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5039	Application:KIA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:K-1K2A1-61-J11		HC.18.5040	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5041	Application:GM Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:G-52495729		HC.18.5042	Application:GM Liquid in:8 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:G-52403067	
HC.18.5043	Application:CHRYSLER Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:C-68029727AA		HC.18.5044	Application:FORD Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T	
HC.18.5045	Application:CAPRICE Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T		HC.18.5046	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T	
HC.18.5047	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T		HC.18.5048	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:F-5GCH-19849-AA	
HC.18.5049	Application:SATURN Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:S-15871954		HC.18.5050	Application:SATURN Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:S-89018286	















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5051	Application:CHRYSLER Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-5019630AA		HC.18.5052	Application:VW Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:E-BR829-024-1	
HC.18.5053	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T		HC.18.5054	Application:BUICK Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:B-89025008	
HC.18.5055	Application:FORD Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T		HC.18.5056	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T	
HC.18.5057	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:P644016		HC.18.5058	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:PE0995002	
HC.18.5059	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T		HC.18.5060	Application:FREIGHTLINER Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:P-BOA93674	
HC.18.5061	Application:JEEP Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:J-5143544AA		HC.18.5062	Application:CHEVROLET Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:C-19130298	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5063	Application:FORD Liquid in:8 Liquid out:1/2" Suction in:10 Suction out:5/8" Usrt:0.5-2.5T OE:F-XW4Z-19849-AA		HC.18.5064	Application:FORD Liquid in:8 Liquid out:1/2" Suction in:10 Suction out:5/8" Usrt:0.5-2.5T OE:F-4L1H-19849-AA	
HC.18.5065	Application:CHEVROLET Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:C-10302742		HC.18.5066	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T	
HC.18.5067	Application:CHRYSLER Liquid in:3/8" Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T OE:C-10302742		HC.18.5068	Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T	
HC.18.5069	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-05139687AA		HC.18.5070	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-7L14-19849-FA	
HC.18.5071	Application:JEEP Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:J-68004206AA		HC.18.5072	Application:FORD Liquid in:8" Liquid out:1/2" Suction in:10 Suction out:5/8" Usrt:0.5-2.5T OE:F-2L1Z-19849-AB	
HC.18.5073	Application:FORD Liquid in:8" Liquid out:1/2" Suction in:10 Suction out:5/8" Usrt:0.5-2.5T OE:F-2L2Z-19849-BA		HC.18.5074	Application:FORD Liquid in:8" Liquid out:1/2" Suction in:10 Suction out:5/8" Usrt:0.5-2.5T OE:F-4L1H-19849-AB	



























Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5075	Application:JEEP Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:J-68003989AA		HC.18.5076	Liquid in:5/8" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5077	Application:TOYOTA Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5078	Application:CITROEN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:6461A3/323304	
HC.18.5079	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5080	Application:VW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:6461A3/323304	
HC.18.5081	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5082	Application:VOLVO Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:V-31101177	
HC.18.5083	Application:ROVER Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:R-JQD-100440		HC.18.5084	Application:ROVER Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5085	Application:JAGUAR Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:R-JQD-100440		HC.18.5086	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5087	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:C-5189088AA		HC.18.5088	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5089	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-1408300384		HC.18.5090	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2018300784	
HC.18.5091	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5092	Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5093	Application:SCNIA Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5094	Application:MERCEDES S Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5095	Application:VOLVO Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5096	Application:ACURA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5097	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5098	Application:LEXUS Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-22060	
HC.18.5099	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5100	Application:TOYOTA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:T-88515-33010	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5101	Application:CADILLAC Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-07030		HC.18.5102	Application:KOBELCO Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5103	Application:HITACHI Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:S-51515-A0250		HC.18.5104	Application:TOYOTA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5105	Application:TOYOTA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5106	Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5107	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5108	Application:MITSUBI HI Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5109	Application:TOYOTA Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5110	Application:TOYOTA Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5111	Application:TOYOTA Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5112	Application:KOMATS U Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5113	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5114	Application:MERCEDE S Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-1688300484	



























Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5115	Application:TOYOTA Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-20100		HC.18.5116	Application:LANCIA Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5117	Application:BENZ/SAA B Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2028300184- 4319141		HC.18.5118	Application:MAZDA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-GJ6A61J14B	
HC.18.5119	Application:MAZDA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5120	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:F-5L2Z-19849-BA	
HC.18.5121	Application:VW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5122	Application:MERCEDES S Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2028300184	
HC.18.5123	Application:MERCEDES Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-9018300084		HC.18.5124	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:F-5F9Z-19849-CA	
HC.18.5125	Application:PONTIAC Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:P-88970274		HC.18.5126	Application:TOYOTA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-33010	















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5127	Application:GM Liquid in:5/16" Liquid out:1/2" Suction in:5/8" Suction out:1/2" Usrt:0.5-2.5T		HC.18.5128	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2018300384 F-VDE-15QFKT-2	
HC.18.5129	Application:VOLVO Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:V-31101176-1		HC.18.5130	Application:VOLVO Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:V-30780559	
HC.18.5131	Application:VOLVO Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:F-VDE-100VAF-3		HC.18.5132	Application:SUZUKI Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:S-503714-1690	
HC.18.5133	Application:MITSUBISH I Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:M-MR568829		HC.18.5134	Application:MITSUBIS HI Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5135	Application:VOLVO Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:V-9166171		HC.18.5136	Application:NISSAN Liquid in:5/16" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:92200-VW010	
HC.18.5137	Application:NISSAN Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:N-92200-5J000		HC.18.5138	Application:MISUBISH I Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:F-VDE-15QEX-3	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5139	Application:OPEL Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5140	Application:SUZUKI Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5141	Application:NISSAN Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5142	Application:NISSAN Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5143	Application:NISSAN Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5144	Application:SUZUKI Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5145	Application:SUBARU Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-73531-FG000		HC.18.5146	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:N-92200-ZC00A	
HC.18.5147	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5148	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:N-92200-1U60A	
HC.18.5149	Application:MITSUBISHI Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5150	Application:MITSUBISHI Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5151	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:F-4NAH-19849-AA		HC.18.5152	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	































Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5153	Application:MITSUBISHI Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5154	Application:MITSUBISHI Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5155	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:F-4NAH-19849-BA		HC.18.5156	Application:SUZUKI Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5157	Application:ISUZU/NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:92200-SM000/3J056-65140		HC.18.5158	Application:SUBARU Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE: S-73531-SA000	
HC.18.5159	Application:SUBARU Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE: S-73531-AE010		HC.18.5160	Application:PROTON Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5161	Application:HONDA Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE: H-80220-S2A-003		HC.18.5162	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE: S-7013558	
HC.18.5163	Application:SANGYONG Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5164	Application:HYUNDAI/KIA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:H-97626-3E000 K-K0BJ161140	















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5165	Application:KIA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:K-1K53C61J12C		HC.18.5166	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5167	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5168	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5169	Application:KIA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5170	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:H-97626-2G000	
HC.18.5171	Application:HYUNDAI Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:H-80220-S5A-G02		HC.18.5172	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5173	Application:FORD Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:F-7T42-19849-AA		HC.18.5174	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5175	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5176	Application:TOYOTA/ SUZUKI/HONDA Liquid in:5/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:95431-65D10- 88515- 52010/52040/447500- 1600	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5177	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-26070		HC.18.5178	Application:SUBARU Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:S-73531-AG010	
HC.18.5179	Application:SUZUKI Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:S-95431-64J80		HC.18.5180	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-08100	
HC.18.5181	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-07070		HC.18.5182	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-02100	
HC.18.5183	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-CC080		HC.18.5184	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5185	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5186	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-42070	
HC.18.5187	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5188	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-80221-SEL-T01	
HC.18.5189	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE: H-A0220-5TK-A410-M1		HC.18.5190	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	

















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5191	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:88515-07020/48040/48010/60110/447500-1610		HC.18.5192	Application:MITSUBISHI Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:M-MR500662	
HC.18.5193	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-0C020		HC.18.5194	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-88515-30690	
HC.18.5195	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5196	Application:MAZDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:D-FE0461J14	
HC.18.5197	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5198	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5199	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5200	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-885150E080	
HC.18.5201	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5202	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5203	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5204	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:H-80221-SHJ-A01	















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5205	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5206	Application:TOYOTA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:T-8851560120	
HC.18.5207	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:H-8220-SJC-A02		HC.18.5208	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5209	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-55036079AF		HC.18.5210	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-416499	
HC.18.5211	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-4192971		HC.18.5212	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5213	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-4596077		HC.18.5214	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-04596318AA	
HC.18.5215	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-05290240AB		HC.18.5216	Application:DODGE Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:D-416499	
HC.18.5217	Application:DODGE Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:D-4162473		HC.18.5218	Application:CHRYSLER Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-4734718	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5219	Application:CHRYSLER Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-55056121AB		HC.18.5220	Application:CHRYSLER Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-55056025AE	
HC.18.5221	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5222	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-4462132	
HC.18.5223	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-4677203		HC.18.5224	Application:DODGE Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:D-4734442	
HC.18.5225	Application:CHRYSLER Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-04798682AB		HC.18.5226	Application:CHRYSLER Liquid in:1/2" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5227	Application:FORD Liquid in:5/16" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:93DA-19849-AA		HC.18.5228	Application:LINCOLN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5229	Application:JEEP/BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:M-1268300384		HC.18.5230	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:F-2L1H-19848-B8	
HC.18.5231	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5232	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:P-3V-0258	































Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5233	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:F-F4XH-19849-AA		HC.18.5234	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:J-4205085	
HC.18.5235	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5236	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:P-AH203871	
HC.18.5237	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5238	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5239	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Apply:R22		HC.18.5240	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5241	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:F-308001		HC.18.5242	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5243	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:F-308001		HC.18.5244	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5245	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:C-55036188		HC.18.5246	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	















Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5247	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5248	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5249	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5250	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5251	Application:FIAT Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:F-46723617		HC.18.5252	Application:FIAT Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:F-46723469	
HC.18.5253	Application:FIAT Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:F-592450600		HC.18.5254	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5255	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5256	Application:GM Liquid in:M20*1.5 Liquid out:1/2" Suction in:M22*1.5 Suction out:3/4" Usrt:0.5-2.5T OE:G-52458711	
HC.18.5257	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5258	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5259	Application:SUZUKI Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-95431-85Z00/8GZ00/614915		HC.18.5260	Application:CHEVROLET Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:C-96327368	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5261	Application:GM Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-614915		HC.18.5262	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5263	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5264	Application:CITROEN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5265	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5266	Application:GM Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:D-96492806	
HC.18.5267	Application:GM Liquid in:6 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T		HC.18.5268	Application:SATURN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:F-24426739	
HC.18.5269	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5270	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5271	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:N-92200-4Y800/AL500		HC.18.5272	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:N-92200-4M405	
HC.18.5273	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:N-92200-4Y80A		HC.18.5274	Application:NISSAN Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:N-92200-9H205	































Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5275	Application:VW Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:S-1212015		HC.18.5276	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:N-97626-38000/F108-BBWAB-01	
HC.18.5277	Application:SUZUKI Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-9543154J00		HC.18.5278	Application:SUBARU Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-73531FA112	
HC.18.5279	Application:NISSAN/INFINITI Liquid in:1/2" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:N-92200-4P001		HC.18.5280	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5281	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:H-976263K000		HC.18.5282	Application:GM Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:G-96539652	
HC.18.5283	Application:NISSAN Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:N-92200-2W100		HC.18.5284	Application:SUZUKI Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5285	Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5286	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:H-976263J000	
HC.18.5287	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:H-976263E930		HC.18.5288	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:S-81YA1-06521	











Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5289	Application:HONDA Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:H-80220-S6A-013		HC.18.5290	Application:KIA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:K-972173F000	
HC.18.5291	Application:MAZDA Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-KJ141B32HA03		HC.18.5292	Application:GM Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:G-92117402	
HC.18.5293	Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5294	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-64516924984	
HC.18.5295	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-64118371459		HC.18.5296	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-64116980211	
HC.18.5297	Application:MAZDA Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5298	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:H-976041E000	
HC.18.5299	Application:HYUNDAI/ DAEWOO Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:H-96274639		HC.18.5300	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-64118384379	
HC.18.5301	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-64116906268		HC.18.5302	Application:BMW/DAE WOO Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:D-96387210	














Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5303	Application:SCNIA Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-1342237		HC.18.5304	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2108300484	
HC.18.5305	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:K-1732819		HC.18.5306	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2208300384	
HC.18.5307	Application:MERCEDES Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2208300384		HC.18.5308	Application:MERCEDES Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5309	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5310	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:M-2308300184	
HC.18.5311	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-6411935745		HC.18.5312	Application:JAGUAR/P ORSCHE Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:MMC6442A/92857 312305	
HC.18.5313	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5314	Application:MERCEDES Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5315	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-64116904437		HC.18.5316	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-64118381504	



Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5317	Application:BIUCK/FOR D Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-9117610		HC.18.5318	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-64118362851	
HC.18.5319	Application:SAAB Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-4230785		HC.18.5320	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:B-64119138032	
HC.18.5321	Application:BMW Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:B-64119135745		HC.18.5322	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2018300784	
HC.18.5323	Application:MERCEDES Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:M-2018300784		HC.18.5324	Application:BENZ Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:S-4319141	
HC.18.5325	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:F-85G-19849-BA		HC.18.5326	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:C-55055782AA	
HC.18.5327	Liquid in:3/8" Liquid out:1/2" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-05061291AC		HC.18.5328	Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5329	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:F-90DA-19849-AA		HC.18.5330	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5331	Application:CHRYSLER Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-5019218AE		HC.18.5332	Application:CHRYSLER Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-5019218AE	
HC.18.5333	Application:NAVLSTAR Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:P-1696846C		HC.18.5334	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5335	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5336	Application:CHRYSLER Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-5019218AE	
HC.18.5337	Application:CHRYSLER Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5338	Application:CHEROKEE Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:C-4885794	
HC.18.5339	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5340	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5341	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5342	Application:CHRYSLER Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:C-55055876AB	
HC.18.5343	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5344	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5345	Application:SATURE Liquid in:5/16" Liquid out:3/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:S-25030587		HC.18.5346	Application:MAZDA Liquid in:5/16" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:H720-61-J14	
HC.18.5347	Application:GM Liquid in:5/16" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5348	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5349	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5350	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5351	Liquid in:3/8" Liquid out:3/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5352	Application:LEXUS 400 95-00 Liquid in:3/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5353	Liquid in:5/16"(9/16-18UNF) Suction out:1/2"(3/4-16-UNF) Usrt:0.5-2.5T		HC.18.5354	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T	
HC.18.5355	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:P-177-67231		HC.18.5356	Liquid in:3/8" Liquid out:1/2" Suction in:1/2" Suction out:5/8" Usrt:0.5-2.5T OE:P-1000058658	
HC.18.5357	Liquid in:(M16*1.5)Ø 10.15mm Suction out:(M22*1.5)Ø 15.5mm Usrt:0.5-2.5T		HC.18.5358	Liquid in:1/2" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:V-6Q0820679	

Item No.	Specification	Product Photo	Item No.	Specification	Product Photo
HC.18.5359	Liquid in:3/8" Liquid out:5/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:D-T88515-07020		HC.18.5360	Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5361	Application:CHEVROLET Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T		HC.18.5362	Application:HYUNDAI Liquid in:5/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:D-97626-38000K	
HC.18.5363	Liquid in:3/8" Liquid out:3/8" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T OE:D-81YA1-06521		HC.18.5364	Application:FORD Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:F-2GCH-19849-AC	
HC.18.5365	Liquid in:5/8" Liquid out:5/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5366	Liquid in:5/8" Liquid out:5/4" Suction in:3/4" Suction out:3/4" Usrt:0.5-2.5T	
HC.18.5367	Application:FIAT Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:D-46723469		HC.18.5368	Application:HYUNDAI Liquid in:9/16" Liquid out:5/8" Suction in:5/8" Suction out:5/8" Usrt:0.5-2.5T OE:D-97626-2D100	
HC.18.5369	Application:MERCEDES Liquid in:3/8" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:D-2208300184		HC.18.5370	Application:DAEWOO Liquid in:1/2" Liquid out:1/2" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T OE:D-96327368	
HC.18.5371	Liquid in:3/8" Liquid out:5/8" Suction in:5/8" Suction out:3/4" Usrt:0.5-2.5T		HC.18.5372	Liquid in:8 Liquid out:8 Suction in:10 Suction out:12 Usrt:0.5-2.5T Apply:HFO-1234YF	