



Heat&Cool Master Co.,Ltd

ADD: No.2-165, West Beisha RD., Yuhang, Hangzhou, China 311100

Tel: 0086-571-89183618 Fax: 0086-571-56277745 www.coolmaster.com.cn

Pressure Switches Catalogue

| Pressure switch | | | | | |
|-----------------|--|--|------------|---|--|
| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
| HC.19.0001 | Standard type OE:124-820-59-10 3/8-24 UNF Male OFF: 2.1kg/cm ² R12 |  HC.19.0001 Standard Type OE#124-820-59-10 3/8-24 UNF Male OFF:2.1kg/cm ² R-12 | HC.19.0002 | Adjustable Type 3/8-24UNF Male OFF:2.1kg/cm ² Adjustable±0.5kg/cm ² R12 |  HC.19.0002 Adjustable Type 3/8-24 UNF Male OFF:2.1kg/cm ² Adjustable±0.5kg/cm ² R-12 |
| HC.19.0003 | For General Motors-Kia 3/8-24UNF Female OFF: 2.1kg/cm ² R12 |  HC.19.0003 For General Motors-Kia 3/8-24 UNF Female OFF:2.1 kg/cm ² R-12 | HC.19.0004 | 3/8-24UNF Male OFF:2.1kg/cm ² Adjustable±0.5kg/cm ² R134a |  HC.19.0004 3/8-24 UNF Male OFF:2.1 kg/cm ² R-134a |
| HC.19.0005 | 3/8-24UNF Female OFF: 2.1kg/cm ² Adjustable±0.5kg/cm ² R134a |  HC.19.0005 3/8-24 UNF Female OFF:2.1kg/cm ² Adjustable±0.5kg/cm ² R-134a | HC.19.0006 | 7/16-20UNF Female ON:0.8kg/cm ² OFF:0.2kg/cm ² (DIFF) R134a |  HC.19.0006 7/16-20 UNF Female ON:0.8kg/cm ² OFF:0.2kg/cm ² (DIFF) R-134a |
| HC.19.0007 | 7/16-20UNF Female ON: 2.1kg/cm ² OFF:0.35kg/cm ² (DIFF) R134a |  HC.19.0007 7/16-20 UNF Female ON:2.1kg/cm ² OFF:0.35kg/cm ² (DIFF) R-134a | HC.19.0008 | 7/16-20UNF Female HP:2.4kg/cm ² OFF LP:2.0kg/cm ² OFF R12 |  HC.19.0008 7/16-20 UNF Female HP:2.4kg/cm ² Off LP:2.0kg/cm ² Off R-12 |
| HC.19.0009 | 7/16-20UNF Female ON: 16.6kg/cm ² OFF:23.5kg/cm ² R134a |  HC.19.0009 7/16-20 UNF Female OFF:23.5kg/cm ² ON:16.6kg/cm ² R-134a | HC.19.0010 | 7/16-20UNF Female HP: 28kg/cm ² OFF LP:2.0kg/cm ² OFF R134a |  HC.19.0010 7/16-20 UNF Female HP:28kg/cm ² Off LP:2.0kg/cm ² Off R-134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|--|
| HC.19.0011 | 7/16-20UNF Female ON: 18kg/cm ² OFF:26.5kg/cm ² R12 |  HC.19.0011 7/16-20 UNF Female OFF:26.5kg/cm ² ON:18kg/cm ² R-12 | HC.19.0012 | 3/8-24UNF Male HP: 28kg/cm ² OFF LP:2.0kg/cm ² OFF R134a BEHR:1248208310 |  HC.19.0012 3/8-24 UNF Male HP:28kg/cm ² Off LP:2.0kg/cm ² Off R-134a BEHR#1248208310 |
| HC.19.0013 | 3/8-24UNF Male ON: 16.6kg/cm ² OFF:23.5kg/cm ² R134a |  HC.19.0013 3/8-24 UNF Male OFF:23.5kg/cm ² ON:16.6kg/cm ² R-134a | HC.19.0014 | 3/8-24UNF Male ON: 18kg/cm ² OFF:26.5kg/cm ² R12 |  HC.19.0014 3/8-24 UNF Male OFF:26.5kg/cm ² ON:18kg/cm ² R-12 |
| HC.19.0015 | 3/8-24UNF Male HP:(A)26.5kg/cm ² OFF (B)24kg/cm ² OFF (C)22.5kg/cm ² OFF LP:2.0kg/cm ² OFF R12 |  HC.19.0015 3/8-24 UNF Male HP:(A)26.5kg/cm ² Off (B)24 kg/cm ² Off (C)22.5 kg/cm ² Off LP:2.0kg/cm ² Off R-12 | HC.19.0016 | 7/16-20UNF Male HP: 26.5kg/cm ² OFF LP:2.0kg/cm ² OFF R134a |  HC.19.0016 7/16-20 UNF Male HP:26.5kg/cm ² Off LP:2.0kg/cm ² Off R-134a |
| HC.19.0017 | 7/16-20UNF Male HP:26.5kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  HC.19.0017 7/16-20 UNF Male HP:26.5kg/cm ² Off LP:2.0 kg/cm ² Off R-12 R-134a | HC.19.0018 | 3/8-24UNF Male HP:(A)26.5kg/cm ² OFF (B)31.4kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  HC.19.0018 3/8-24 UNF Male HP:(A)26.5kg/cm ² Off (B)31.4kg/cm ² Off LP:2.0kg/cm ² Off R-12 R-134a |
| HC.19.0019 | 3/8-24UNF Male HP:(A)26.5kg/cm ² OFF (B)31.4kg/cm ² OFF LP:2.1kg/cm ² OFF R12 R134a |  HC.19.0019 3/8-24 UNF Male HP:(A)26.5kg/cm ² Off (B)31.4kg/cm ² Off LP:2.1 kg/cm ² Off R12/134a | HC.19.0020 | M11-P1.0 Male HP:(A)26.5kg/cm ² OFF (B)31.4kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  HC.19.0020 M11-P1.0 Male HP:(A)26.5kg/cm ² Off (B)31.4kg/cm ² Off LP:2.0 kg/cm ² Off R12/134a |
| HC.19.0021 | 3/8-24 UNF Male HP:27kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  HC.19.0021 3/8-24 UNF Male HP:27kg/cm ² Off LP:2.0 kg/cm ² Off R12/134a | HC.19.0022 | 3/8-24 UNF Male HP:27kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  HC.19.0022 3/8-24 UNF Male HP:27 kg/cm ² Off LP:2.0 kg/cm ² Off R-12 R-134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---|
| HC.19.0023 | 3/8-24 UNF Male HP:27kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  | HC.19.0024 | 3/8-24 UNF Male HP:(A)26.5kg/cm ² OFF (B)31.4kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  |
| HC.19.0025 | 3/8-24 UNF Male HP:27kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  | HC.19.0026 | M11-P1.0 Male HP:31.4kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  |
| HC.19.0027 | M11-P1.0 Male HP:(A)26.5kg/cm ² OFF (B)32.0kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  | HC.19.0028 | 3/8-24UNF Male HP:(A)27kg/cm ² OFF (B)32.0kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  |
| HC.19.0029 | For KIA Pride 3/8-24 UNF Male HP:32.0kg/cm ² OFF LP:2.0kg/cm ² OFF R12 R134a |  | HC.19.0030 | 7/16-20 UNF Female HP:32.0kg/cm ² OFF LP:2.0kg/cm ² OFF R134a |  |
| HC.19.0031 | For Honda Acura OE:80440-8R3-K01;8-52481-408-0 3/8-24 UNF Male HP:(A)27.0kg/cm ² OFF (B)32.0kg/cm ² OFF (C)30.0kg/cm ² OFF LP:2.0kg/cm ² OFF R12,R134a |  | HC.19.0032 | For Mitsubishi 3/8-24 UNF Male HP:(D)27.0kg/cm ² OFF (E)32.0kg/cm ² OFF (F)30.0kg/cm ² OFF LP:2.0kg/cm ² OFF R12,R134a |  |
| HC.19.0033 | For Mitsubishi 3/8-24 UNF Male HP:(A)27.0kg/cm ² OFF (B)32.0kg/cm ² OFF (C)30.0kg/cm ² OFF LP:2.0kg/cm ² OFF R12,R134a |  | HC.19.0034 | For Honda/Acura OE:80440-SM4-003;8-97095-6590 3/8-24 UNF Male HP:(A)27.0kg/cm ² OFF (B)32.0kg/cm ² OFF (C)30.0kg/cm ² OFF LP:2.0kg/cm ² OFF R12,R134a |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|--|------------|---|--|
| HC.19.0035 | For Toyota 3/8-24 UNF Male HP:(A)27.0kg/cm2 OFF (B)32.0kg/cm2 OFF (C)30.0kg/cm2 OFF LP:2.0kg/cm2 OFF R12,R134a |  HC.19.0035 For Toyota 3/8-24 UNF Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a | HC.19.0036 | For Honda/Acura OE:80440-SS0-901;80440-SK3-901 M11-P1.0 Male HP:(A)27.0kg/cm2 OFF (B)32.0kg/cm2 OFF (C)30.0kg/cm2 OFF LP:2.0kg/cm2 OFF R12,R134a |  HC.19.0036 For Honda/Acura OE#80440-SS0-901;80440-SK3-901 M11-P1.0 Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a |
| HC.19.0037 | For Toyota Corolla OE:88645-10030 Denso 1660Male 3/8-24 UNF Male OFF:15.5kg/cm2 ON: 12.5kg/cm2 OFF (A)OFF:14.0kg/cm2 ON: 11.5kg/cm2 OFF R12,R134a |  HC.19.0037 For Toyota Corolla OE#88645-10030 Denso 1660 Male 3/8-24 UNF Male OFF: 15.5kg/cm² ON: 12.5kg/cm² (A)OFF: 14.0kg/cm² ON: 11.5kg/cm² R-12 R-134a | HC.19.0038 | For Honda M11-P1.0 Male HP:(A)27.0kg/cm2 OFF (B)32.0kg/cm2 OFF (C)30.0kg/cm2 OFF LP:2.0kg/cm2 OFF R12,R134a |  HC.19.0038 For Honda M11-P1.0 Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a |
| HC.19.0039 | For Honda OE:80440-CN7-901 M11-P1.0 Male HP:(A)27kg/cm2 OFF (B)32kg/cm2 OFF (C)30kg/cm2 OFF LP:2.0kg/cm2 OFF R12,R134a |  HC.19.0039 For Honda OE#80440-cn7-901 M11-P1.0 Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a | HC.19.0040 | For Toyota OE:38645-22050 D1970 3/8-24UNF Male ON:15.5kg/cm2 OFF OFF(DIFF) R134a |  HC.19.0040 For ToyotaOE#38645-22050 D1970 3/8-24 UNF Male ON: 15.5kg/cm² Off OFF: 12.5kg/cm² Off(DIFF) R-134a |
| HC.19.0041 | For Mitsubishi OE:MB568179 3/8-24UNF Male HP:26.5kg/cm2 LP:2.2kg/cm2 R12,R134a |  HC.19.0041 For Mitsubishi OE#MB568179 3/8-24 UNF Male HP:26.5kg/cm² LP:2.2kg/cm² R-12 R-134a | HC.19.0042 | For Mitsubishi OE:MR190232 M11-P1.0UNF Male HP:30.5kg/cm2 LP:1.8kg/cm2 R134a |  HC.19.0042 For Mitsubishi OE#MR190232 M11-P1.0 UNF Male HP:30.5kg/cm² LP:1.8kg/cm² R-134a |
| HC.19.0043 | For Honda M11-P1.0 Male HP:(A)27kg/cm2 OFF (B)32kg/cm2 OFF (C)30kg/cm2 OFF LP:2.0kg/cm2 OFF R12,R134a |  HC.19.0043 For Honda M11-P1.0 Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a | HC.19.0044 | For Suzuki Denso 1940 3/8-24UNF Male HP:27kg/cm2 LP:2.1kg/cm2 R12 R134a |  HC.19.0044 For Suzuki Denso 1940 3/8-24 UNF Male HP:27kg/cm² LP:2.1kg/cm² R-12 R-134a |
| HC.19.0045 | For Ford/Mazda 3/8-24UNF Male HP:(A)27kg/cm2 OFF (B)32kg/cm2 OFF (C)30kg/cm2 OFF LP:2.0kg/cm2 OFF R12,R134a |  HC.19.0045 For Ford/Mazda 3/8-24 UNF Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a | HC.19.0046 | For Ford/Mazda 3/8-24UNF Male HP:(A)27kg/cm2 OFF (B)32kg/cm2 OFF (C)30kg/cm2 OFF LP:2.0kg/cm2 OFF R12,R134a |  HC.19.0046 For Ford/Mazda 3/8-24 UNF Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|--|------------|--|--|
| HC.19.0047 | For Honda Civic K600-95 M11-P1.0 Male HP:(A)27kg/cm2 OFF (B)32kg/cm2 OFF (C)30kg/cm2 OFF LP:2.0kg/cm2 OFF R12,R134a |  HC.19.0047 For Honda Civic K600-95 M11-P1.0 Male HP:(A)27kg/cm2 Off (B)32kg/cm2 Off (C)30kg/cm2 Off LP:2.0kg/cm2 Off R12,R134a | HC.19.0048 | 3/8-24 UNF Male HP:2.70Mpa OFF MP:1.52Mpa OFF LP:0.196Mpa OFF R12,R134a |  HC.19.0048 3/8-24 UNF Male HP:2.70Mpa Off MP:1.52Mpa Off LP:0.196Mpa Off HFC-R12,R134a |
| HC.19.0049 | 3/8-24 UNF Male HP:2.70Mpa OFF MP:1.52Mpa OFF LP:0.196Mpa OFF R12,R134a |  HC.19.0049 3/8-24 UNF Male HP:2.70Mpa Off MP:1.52Mpa Off LP:0.196Mpa Off HFC-R12,R134a | HC.19.0050 | For TBP-P32QCA-1 3/8-24 UNF Male HP:3.14Mpa OFF MP:1.52Mpa OFF LP:0.196Mpa OFF HFC-R134a |  HC.19.0050 For TBP-P32QCA-1 3/8-24 UNF Male HP:3.14Mpa Off MP:1.52Mpa Off LP:0.196Mpa Off HFC-R134a |
| HC.19.0051 | 3/8-24 UNF Male HP:3.14Mpa OFF MP:1.52Mpa OFF LP:0.196Mpa OFF HFC-R134a |  HC.19.0051 3/8-24 UNF Male HP:3.14Mpa Off MP:1.52Mpa Off LP:0.196Mpa Off HFC-R134a | HC.19.0052 | 3/8-24 UNF Male HP:3.14Mpa OFF MP:1.52Mpa OFF LP:0.196Mpa OFF HFC-R134a |  HC.19.0052 3/8-24 UNF Male HP:3.14Mpa Off MP:1.52Mpa Off LP:0.196Mpa Off HFC-R134a |
| HC.19.0053 | For Honda/Lexus/Toyota OE:80440-SIK-003/88645-60030 M11-P1.0Male HP:3.14Mpa OFF MP:1.52Mpa OFF LP:0.196Mpa OFF HFC-R134a |  HC.19.0053 For Honda/Lexus/Toyota OE#80440-SIK-003/88645-60030 M11-P1.0 Male HP:3.14Mpa Off MP:1.52Mpa Off LP:0.196Mpa Off HFC-R134a | HC.19.0054 | For Acura/Lexus/Toyota OE:80440-SZ5-003/88645-20050 M11-P1.0 Male HP:3.14 Mpa Off MP:1.52Mpa OFF LP:0.196Mpa OFF HFC-R134a |  HC.19.0054 For Acura/Lexus/Toyota OE#80440-SZ5-003/88645-20050 M11-P1.0 Male HP:3.14Mpa Off MP:1.52Mpa Off LP:0.196Mpa Off (B)MP:1.44Mpa Off LP:0.196Mpa Off HFC-R134a |
| HC.19.0055 | For Honda/Lexus/Toyota OE:80440-SZ3-003/88645-60030 M11-P1.0Male HP:3.14Mpa OFF MP:1.52Mpa OFF LP:0.196Mpa OFF HFC-R134a |  HC.19.0055 For Honda/Acura OE#80440-SZ3-003 M11-P1.0 Male HP:3.14Mpa Off MP:1.52Mpa Off LP:0.235Mpa Off HFC-R134a | HC.19.0056 | For Lexus/Toyota OE:88645-48020-80440-SIK-003 M11-P1.0 Male HP:3.14 Mpa Off MP:1.52Mpa OFF LP:0.196Mpa OFF HFC-R134a |  HC.19.0056 For Toyota/Lexus OE#88645-48020-80440-SIK-003 M11-P1.0 Male HP:3.14Mpa Off MP:1.77Mpa On LP:0.196Mpa Off HFC-R134a |
| HC.19.0057 | For Toyota OE:88645-60020 3/8-24 UNF Male HP:27 kgf/cm2 OFF MP:13.5 kgf/cm2 ON LP:2.1 kgf/cm2 OFF HFC-R134a |  HC.19.0057 For Toyota OE#88645-60020 3/8-24 UNF Male HP:27kgf/cm2 Off MP:13.5kgf/cm2 On LP:2.1kgf/cm2 Off HFC-R134a | HC.19.0058 | For Acura/Lexus/Toyota OE:88645-20040-3/8-24 UNF Male HP:27 kgf/cm2 Off MP:1.55kgf/cm2 OFF LP:2.1kgf/cm2 OFF HFC-R134a |  HC.19.0058 For Acura/Lexus/Toyota OE#88645-20040 3/8-24 UNF Male HP:27kgf/cm2 Off MP:15.5kgf/cm2 Off LP:2.1kgf/cm2 Off HFC-R134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|--|------------|---|---|
| HC.19.0059 | For Toyota OE:88645-60010 3/8-24 UNF Male HP:29 kgf/cm ² OFF MP:13.5 kgf/cm ² ON LP:2.1 kgf/cm ² OFF HFC-R134a |  HC.19.0059 For Toyota OE#88645-60010 3/8-24 UNF Male HP:29kgf/cm ² Off MP:13.5kgf/cm ² On LP:2.1kgf/cm ² Off HFC-R134a | HC.19.0060 | For Toyota OE:88645-50010-113440-2110 3/8-24 UNF Male HP:2.65 kgf/cm ² Off MP:1.32kgf/cm ² OFF LP:0.206kgf/cm ² OFF |  HC.19.0060 For Toyota OE#88645-50010-113440-2110 3/8-24 UNF Male HP:2.65kgf/cm ² Off MP:1.32kgf/cm ² Off LP:0.206kgf/cm ² Off |
| HC.19.0061 | For Toyota 3/8-24 UNF Male HP:27 kgf/cm ² OFF MP:15.5 kgf/cm ² ON LP:2.1 kgf/cm ² OFF HFC-R134a |  HC.19.0061 3/8-24 UNF Male H.P.:27kgf/cm ² Off M.P.:15.5kgf/cm ² On L.P.:2.1kgf/cm ² Off HFC-R134a | HC.19.0062 | For Audi A4/A6/A8/PASSAT B5 OE:8DO959482B M10-P1.25 FeMale HP:2.95 Mpa OFF MP:1.52Mpa ON LP:0.12Mpa OFF HFC-R134a |  HC.19.0062 For AudiA4/A6/A8/PASSAT B5 OE# 8DO 959 482B M10-p1.25 FeMale HP:2.95Mpa Off MP:1.52Mpa On LP:0.12Mpa Off HFC-R134a |
| HC.19.0063 | For Nissan/Infinity OE:92137-4P200 92137-4S100 3/8-24 UNF Male HP:2.65 Mpa OFF MP:1.52Mpa ON LP:0.178Mpa OFF |  HC.19.0063 For Nissan/Infinity A:OE# 92137-4P200 92137-4S100 3/8-24 UNF Male H.P.(A):2.85(B):2.65Mpa Off M.P.(A):1.72(B):1.52Mpa On L.P.(A):0.176(B):0.178Mpa Off | HC.19.0064 | For Honda/Acura OE:80440-SDO-003 3/8-24 UNF Male HP:26.5 kgf/cm ² OFF LP:2.0 kgf/cm ² OFF HFC-R134a |  HC.19.0064 For Honda/Acura OE#80440-SDO-003 3/8-24 UNF Male HP:26.5kgf/cm ² Off LP:2.0kgf/cm ² Off R-12,(A)type for R-134a |
| HC.19.0065 | 3/8-24 UNF Male HP:3.14 Mpa OFF MP:1.77Mpa ON LP:0.196Mpa OFF HFC-R134A |  HC.19.0065 3/8-24 UNF Male HP:3.14Mpa Off MP:1.77Mpa On LP:0.196Mpa Off HFC-R134a | HC.19.0066 | 3/8-24 UNF Male HP:3.14 Mpa OFF MP:1.52Mpa ON LP:0.196Mpa OFF HFC-R134A |  HC.19.0066 3/8-24 UNF Male M10-P1.25 Male HP:3.14Mpa Off HP:3.14Mpa Off MP:1.52Mpa On MP:1.52Mpa On LP:0.196Mpa Off LP:0.196Mpa On HFC-R134a HFC-R134a |
| HC.19.0067 | 3/8-24 UNF Male HP:3.14 Mpa OFF MP:1.77Mpa ON LP:0.196Mpa OFF HFC-R134A |  HC.19.0067 3/8-24 UNF Male HP:3.14Mpa Off MP:1.77Mpa On LP:0.196Mpa Off HFC-R134a | HC.19.0068 | For Ford/Mondeo OE:893609703 M12-P1.5 FeMale ON:3.1 kg/cm ² OFF:1.7kg/cm ² |  HC.19.0068 For Ford/Mondeo OE#YH-552/YH-601 / 893609703 M12-P1.5 FeFemale ON:3.1kg/cm ² OFF:1.7kg/cm ² (DIFF) Adjustable±0.5kg/cm ² R-134a |
| HC.19.0069 | For Chevrolet/GM Truck OE:15-2647 7/16-20 UNF FeMale ON:3.1 kg/cm ² OFF:1.7kg/cm ² R-12 |  HC.19.0069 For Chevrolet/GM Truck OE#15-2647 7/16-20 UNF Female ON:3.1kg/cm ² OFF:1.7kg/cm ² (DIFF) R-12 | HC.19.0070 | For Chevrolet/GM Truck OE:15-2962 M12-P1.5 FeMale ON:3.1 kg/cm ² OFF:1.7kg/cm ² R-134a |  HC.19.0070 For Chevrolet/GM Truck OE#15-2962 M12-P1.5 FeFemale ON:3.1 kg/cm ² OFF:1.7kg/cm ² (DIFF) R-134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|--|------------|---|--|
| HC.19.0071 | For Ford/Mondeo OE: F6RZ19E561AA 95BW19E561AA 1016565 M12-P1.5 FeMale ON:2.8 kg/cm2 OFF:1.6kg/cm2 R-134a |  HC.19.0071 For Ford/Mondeo OE#F6RZ19E561AA 95BW19E561AA 1016565 M12-P1.5 Female ON:2.8kg/cm² OFF:1.6kg/cm²(DIFF) R-134a | HC.19.0072 | For Ford/Mondeo OE:FSVH-19E561AA M12-P1.5 FeMale ON:3.1 kg/cm2 OFF:1.7kg/cm2 R-134a |  HC.19.0072 For Ford/Mondeo OE#FSVH-19E561AA M12-P1.5 Female ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF) R-134a |
| HC.19.0073 | For Ford/Mondeo OE: 3074359723 7/16-20 UNF FeMale ON:3.1 kg/cm2 OFF:1.7kg/cm2 R-134a |  HC.19.0073 For Ford/Mondeo OE#YH-513 / 3074359723 7/16-20 UNF Female ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF) Adjustable±0.5kg/cm² R-12 R-134a | HC.19.0074 | For General Motors OE:619902-507 7/16-20 UNF FeMale ON:3.3 kg/cm2 OFF:1.9kg/cm2 R-12 |  HC.19.0074 For General Motors OE#619902-507 7/16-20 UNF Female ON:3.3kg/cm² OFF:1.9kg/cm²(DIFF) R-12 |
| HC.19.0075 | For General Motors/Volvo OE:15-1122,15-2151,15-2209 Volvo GE:1259519 7/16-20UNF Female ON:3.1kg/cm2 OFF: 1.7kg/cm2 R12 |  HC.19.0075 For General Motors/Volvo GM OE# 15-1122,15-2151,15-2209 Volvo GE# 1259519 7/16-20UNF Female ON:3.1kg/cm² OFF:1.7kg/cm² Adjustable±0.5kg/cm²(DIFF) R-12 | HC.19.0076 | For General Motors/Volvo OE:15-2960 M12-P1.5 FeMale ON:3.3 kg/cm2 OFF:1.7kg/cm2 R-134a |  HC.19.0076 For General Motors/Volvo OE# 15-2960 M12-P1.5 Female ON:3.3kg/cm² OFF:1.7kg/cm² Adjustable±0.5kg/cm²(DIFF) R-134a |
| HC.19.0077 | For Volvo(93-95) 940/960 OE:6841188;6848532 M12-P1.5 Female ON:19kg/cm2 OFF: 14kg/cm2 R-134a |  HC.19.0077 For Volvo(93-95)940/960 OE# 6841188;6848532 M12-P1.5 Female ON:19.0kg/cm² OFF:14.0kg/cm² R-134a | HC.19.0078 | For volvo>92 OE:6848107 7/16-20 UNF FeMale ON:20.5 kg/cm2 OFF: 15.5kg/cm2 R-12 |  HC.19.0078 For Volvo>92 OE# 6848107 7/16-20 UNF Female ON:20.5kg/cm² OFF:15.5kg/cm² R-12 |
| HC.19.0079 | For Volvo(93-95) 940/960 OE:6841189;6848533 M12-P1.5 Female ON:23.5kg/cm2 OFF: 18.5kg/cm2 R-134a |  HC.19.0079 For Volvo(93-95)940/960Used on fan OE# 6841189;6848533 M12-P1.5 Female ON:23.5kg/cm² OFF:18.5kg/cm² R-134a | HC.19.0080 | For volvo>92 OE:6848106 7/16-20 UNF FeMale ON:15.5 kg/cm2 OFF:10.5kg/cm2 R-12 |  HC.19.0080 For Volvo>92 OE# 6848106 7/16-20 UNF Female ON:15.5kg/cm² OFF:10.5kg/cm² R-12 |
| HC.19.0081 | For volvo>92 OE:6848108 7/16-20 UNF FeMale ON:28.5 kg/cm2 OFF:18.5kg/cm2 R-12 |  HC.19.0081 For Volvo>92 OE#6848108 7/16-20 UNF Female OFF:28.5kg/cm² ON:18.5kg/cm² R-12 | HC.19.0082 | For volvo 93-95 OE:6841190;6848534 M12-P1.5 FeMale OFF:29 kg/cm2 ON:19kg/cm2 R-134a |  HC.19.0082 For Volvo 93-95 OE# 6841190;6848534 M12-P1.5 Female OFF:29.0kg/cm² ON:19.0kg/cm² R-134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|--|------------|---|--|
| HC.19.0083 | For volvo>940/960(1993) OE:3537866;6849313 7/16-20 UNF FeMale ON:3.1 kg/cm2 OFF:1.7kg/cm2 R-12 |  HC.19.0083 For Volvo940/960(1993) OE# 3537866;6849313 7/16-20 UNF Female ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF) R-12 | HC.19.0084 | For volvo>92 OE:3537506 M12-P1.5 FeMale ON:3.1 kg/cm2 OFF:1.7kg/cm2 R-134a |  HC.19.0084 For Volvo>92 OE# 3537506 M12-P1.5 Female ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF) R-134a |
| HC.19.0085 | For volvo>940/960(1993)85 0 OE:1343216;9144340 M12-P1.5 FeMale ON:3.1 kg/cm2 OFF:1.7kg/cm2 R-134a |  HC.19.0085 For Volvo 940/960(1993)850 OE# 1343216;9144340 M12-P1.5 Female ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF) R-134a | HC.19.0086 | OE:90414997 M10-P1.25 FeMale ON:11.5 kg/cm2 OFF:9.5kg/cm2 R-134a |  HC.19.0086 OE# 90414997 M10-P1.25 Female ON:11.5kg/cm² OFF:9.5kg/cm²(DIFF) |
| HC.19.0087 | For GM OE:10045778 3/8-24 UNF FeMale ON:10.4 kg/cm2 OFF:13.85kg/cm2 |  HC.19.0087 For GM OE# 10045778 3/8-24 UNF Female ON:10.4kg/cm² OFF:13.85kg/cm²(DIFF) | HC.19.0088 | For Opel/Astra OE:90451440 M10-P1.25 FeMale ON:15.5 kg/cm2 OFF:13.5kg/cm2 |  HC.19.0088 For Opel/Astra OE# 90451440 M10-P1.25 Female ON:15.5kg/cm² OFF:13.5kg/cm²(DIFF) |
| HC.19.0089 | For GM OE:90506751/1854779 M10-P1.25 Female HP:30 Bar off MP:11 Bar on LP:2.0 Bar off |  HC.19.0089 For GM OE# 90506751/1854779 M10-P1.25 Female HP:30 Bar Off MP:11 Bar On LP:2.0 Bar Off | HC.19.0090 | OE:90359991/1845773 M10-P1.25 Female HP:30 Bar off MP:19 Bar on LP:2.0 Bar off |  HC.19.0090 OE# 90359991/1845773 M10-P1.25 Female HP:30 Bar Off MP:19 Bar On LP:2.0 Bar Off |
| HC.19.0091 | OE:043118 7/16-20UNF Female HP:25 Bar off MP:16 Bar on LP:2.0 Bar off |  HC.19.0091 OE#043118 7/16-20UNF Female HP:25 Bar Off MP:16 Bar On LP:2.0 Bar Off | HC.19.0092 | 7/16-20 UNF Female HP:28 Bar off MP:18 Bar on LP:2.0 Bar off |  HC.19.0092 7/16-20 UNF Female HP:28 Bar Off MP:18 Bar On LP:2.0 Bar Off |
| HC.19.0093 | For Opel Peugeot 1990 OE:9614390780 3/8-24UNF Female HP:25 Bar off MP:16 Bar on LP:2.0 Bar off |  HC.19.0093 For Opel Peugeot 1990 OE#9614390780 3/8-24 UNF Female HP:30 Bar Off MP:19 Bar On LP:2.0 Bar Off | HC.19.0094 | For Peugeot/206/306/405/406 OE:9614390780/96153406 80/6455T2/6455WO 7/16-20 UNF Female HP:26 Bar off MP:17 Bar on LP:2.0 Bar off |  HC.19.0094 For Peugeot/206/306/405/406 OE#9614390780/9615340680 6455T2/6455WO 7/16-20 UNF Female HP:26 Bar Off MP:17 Bar On LP:2.0 Bar Off |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|---|---|
| HC.19.0095 | For Citroen/Peugeot OE:9603308080 7/16-20UNF Female HP:26 Bar off MP:19 Bar on LP:2.0 Bar off |  HC.19.0095 For Peugeot/Citroen OE# 9603308080 7/16-20 UNF Female HP:26 Bar Off MP:19 Bar On LP:2.0 Bar Off | HC.19.0096 | For Opel Vectra-B OE:90606752/1854780 M10-P1.25 Female HP:24 Bar off MP:21 Bar on LP:17 Bar on |  HC.19.0096 For Opel Vectra-B OE# 90606752/1854780 M10-P1.25 Female HP:24 Bar Off MP:21 Bar On LP:17 Bar On |
| HC.19.0097 | For Opel OE:507773900 7/16-20UNF Female HP:28 Bar off MP:15.2 Bar on LP:3.5 Bar off |  HC.19.0097 For Opel OE# 507773900 7/16-20 UNF Female HP:28 Bar Off MP:15.2 Bar On LP:3.5 Bar Off | HC.19.0098 | For Opel /VECTRA98/02 OE:507773900 7/16-20 UNF Female HP:30 Bar off MP:17.5 Bar on LP:1.2 Bar off |  HC.19.0098 For Opel/VECTRA98/02 OE# 507773900 7/16-20 UNF Female HP:30 Bar Off MP:17.5 Bar On LP:1.2 Bar Off |
| HC.19.0099 | For Fiat/Punto Lancia/Kappa OE:46476438 7/16-20UNF Female HP:28 Bar off MP:15Bar on LP:2.45 Bar off R-134a |  HC.19.0099 For Fiat/Punto Lancia/Kappa OE# 46476438 7/16-20 UNF Female A/P:28 Bar Off M/P:15 Bar On B/P:2.45 Bar Off R-134a | HC.19.0100 | For Jaguar OE:JLA7658AA 7/16-20 UNF Female AP:30 Bar off HP:21.5Bar off MP:12 Bar on LP:2.4 Bar off R-134a |  HC.19.0100 For Jaguar OE# JLA7658AA 7/16-20 UNF Female A/P:30 Bar Off M/P:12 Bar On B/P:2.4 Bar Off R-134a |
| HC.19.0101 | For Aifa 145-146 97> OE:54427400 60625482 7/16-20 UNF Female A/P:28 Bar off M/P:20 Bar on M/P:15 Bar on B/p:2.45 Bar off R-134a |  HC.19.0101 For Aifa 145-146 97> OE#54427400 60625482 7/16-20 UNF Female A/P:28 Bar Off M/P:20 Bar On M/P:15 Bar On B/P:2.45 Bar Off R-134a | HC.19.0102 | M11-P1.0 Male HP:32 Bar off MP:18 Bar on LP:2.3 Bar off |  HC.19.0102 M11-P1.0 Male HP:32 Bar Off MP:18 Bar On LP:2.3 Bar Off |
| HC.19.0103 | M12-P1.5 Female ON:3.1 kg/cm2 OFF:1.7kg/cm2 R-134a |  HC.19.0103 M12-P1.5 Female ON:3.1kg/cm ² OFF:1.7kg/cm ² (DIFF) R-134a | HC.19.0104 | M12-P1.5 Female ON:3.1kg/cm2 OFF:1.7kg/cm2 R-134a |  HC.19.0104 M12-P1.5 Female ON:3.1kg/cm ² OFF:1.7kg/cm ² (DIFF) R-134a |
| HC.19.0105 | OE:5963617 7/16-20UNF Female HP:25 Bar off MP:16 Bar on LP:2.0 Bar off |  HC.19.0105 OE# 5963617 7/16-20 UNF Female HP:25 Bar Off MP:16 Bar On LP:2.0 Bar Off | HC.19.0106 | For Fiat Tipo/Alfa Romeo OE:46413455 7741521 7/16-20 UNF Female HP:28 Bar off MP:15.2 Bar on LP:2.0 Bar off |  HC.19.0106 For Fiat Tipo/Alfa Romeo OE#46413455 7741521 7/16-20 UNF Female HP:28 Bar Off MP:15.2 Bar On LP:2.0 Bar Off |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|--|------------|---|--|
| HC.19.0107 | OE:4280427/98482344 7/16-20 UNF Female HP:25 Bar off MP:16 Bar on LP:2.0 Bar off |  HC.19.0107 OE#4280427/98482344 7/16-20 UNF Female HP:25 Bar Off MP:16 Bar On LP:2.0 Bar Off | HC.19.0108 | For Diavla OE:043101.1 7/16-20 UNF Female HP:25 Bar off MP:16 Bar on LP:2.0 Bar off |  HC.19.0108 For Diavla OE#043101.1 7/16-20 UNF Female HP:25 Bar Off MP:16 Bar On LP:2.0 Bar Off |
| HC.19.0109 | OE: 505837900 M10-P1.25 Female HP:27 Bar off LP:2.0 Bar off |  HC.19.0109 OE#505837900 M10-P1.25 Female HP:27 Bar Off LP:2.0 Bar Off | HC.19.0110 | For Ford OE:LNA7655AA M12-P1.25 Female HP:30 Bar off MP:17.5 Bar on LP:2.4 Bar off |  HC.19.0110 For Ford OE#LNA7655AA M12-P1.25 Female HP:30 Bar Off MP:17.5 Bar On LP:2.4 Bar Off |
| HC.19.0111 | For Citroen/Peugeot 405-605-89> OE: 9603763080 7/16-20 UNF Female HP:26 Bar off MP:19 Bar on LP:2.0 Bar off |  HC.19.0111 For Citroen/Peugeot 405-605-89> OE#9603763080 7/16-20 UNF Female HP:26 Bar Off MP:19 Bar On LP:2.0 Bar Off | HC.19.0112 | For Fiat- Alfa/Romeo/Lancia OE:5963617 7/16-20 UNF Female HP:25 Bar off MP:16 Bar on LP:2.0 Bar off |  HC.19.0112 For Fiat- Alfa/Romeo/Lancia OE#5963617 7/16-20 UNF Female HP:25 Bar Off MP:16 Bar On LP:2.0 Bar Off |
| HC.19.0113 | For Audi A4 94>96 OE: 8DO959482 M10-P1.25 Female HP:30 kg/cm2 off MP: 17 kg/cm2 on |  HC.19.0113 For Audi A4 94>96 OE#8DO959482 M10-P1.25 Female HP:30kg/cm² Off MP:17kg/cm² On | HC.19.0114 | For VW/Golf 3.T4 Passat.Polo vento.Audi A3 97> OE:1HO959139B 7/16-20 UNF Female HP:32kg/cm2 off MP:16kg/cm2 off LP:1.2kg/cm2 off |  HC.19.0114 For VW/Golf III T4 Passat II Polo Vento Audi A3 97> OE#1HO959139B 7/16-20 UNF Female HP:32 kg/cm² Off MP:16 kg/cm² On LP:1.2 kg/cm² Off |
| HC.19.0115 | For VW(PASSAT) Vento Golf OE:357959139B 7/16-20 UNF Female HP:32kg/cm2 off MP:16kg/cm2 off LP:1.2kg/cm2 off |  HC.19.0115 For VW/(Passat) Vento Golf II OE#357959139B 7/16-20 UNF Female HP:32kg/cm² Off MP:16kg/cm² On LP:1.2kg/cm² Off | HC.19.0116 | For Jaguar LNA7656 AA 7/16-20 UNF Female HP:32kg/cm2 off LP:2kg/cm2 off |  HC.19.0116 For Jaguar LNA7656 AA 7/16-20 UNF Female HP:32kg/cm² Off LP:2kg/cm² Off |
| HC.19.0117 | For Jaguar OE:LNA7655 AA 7/16-20 UNF Female HP:32kg/cm2 off LP:8.5kg/cm2 off |  HC.19.0117 For Jaguar OE#LNA7655 AA 7/16-20 UNF Female HP:32kg/cm² Off LP:8.5kg/cm² Off | HC.19.0118 | For BMW OE:E341990-Seire 5 7/16-20 UNF Female HP:32.3kg/cm2 off MP:19.5kg/cm2 off LP:2.8kg/cm2 off |  HC.19.0118 For BMW OE# E34 1990-Seire 5 7/16-20 UNF Female HP:32.3kg/cm² Off MP:19.5kg/cm² Off LP:2.8kg/cm² Off |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|--|------------|--|--|
| HC.19.0119 | For Jaguar LNA7656 AA M10-P1.5 Male HP:28kg/cm2 off LP:2.0kg/cm2 off |  HC.19.0119 For Jaguar LNA7656 AA M10-P1.5 Male HP:28kg/cm² Off LP:2.0kg/cm² Off | HC.19.0120 | For Toyota OE: 88645-32020 3/8-24 UNF Female OFF:15.5 kg/cm2 ON:12.5 kg/cm2 |  HC.19.0120 For Toyota OE#88645-32020 3/8-24 UNF Male OFF:15.5kg/cm² ON:12.5kg/cm² |
| HC.19.0121 | 3/8-24 UNF Male HP:27 Bar off MP:15 Bar on LP:2.0 Bar off |  HC.19.0121 3/8-24 UNF Male HP:27 Bar Off MP:15 Bar On LP:2.0 Bar Off | HC.19.0122 | For Nissan OE:92137-60A10 3/8-24 UNF Male HP:(A)27kg/cm2 off (B)32kg/cm2 off ©30kg/cm2 off LP:2.0kg/cm2 off R-12 R-134a |  HC.19.0122 For Nissan OE#92137-60A10 3/8-24 UNF Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a |
| HC.19.0123 | For Nissan 7/16-24 UNF Male HP:(A)27kg/cm2 off (B)32kg/cm2 off ©30kg/cm2 off LP:2.0kg/cm2 off R-12 R-134a |  HC.19.0123 For Nissan 7/16-24 UNF Female HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a | HC.19.0124 | 3/8-24 UNF Male HP:25 Bar off LP:2.0Bar off |  HC.19.0124 3/8-24 UNF Male HP:25 Bar Off LP:2.0 Bar Off |
| HC.19.0125 | For Nissan OE:92137-86G00 92137-01G01 3/8-24 UNF Male HP:27kg/cm2 off LP:2.0 kg/cm2 off |  HC.19.0125 For Nissan OE#92137-86G00;92137-01G01 3/8-24 UNF Male HP:27kg/cm² Off LP:2.0kg/cm² Off | HC.19.0126 | For Nissan OE:92225-17C11 92225-17C10 3/8-24 UNF Male HP:29kg/cm2 off LP: 2kg/cm2 off |  HC.19.0126 For Nissan OE#92225-17C11;92225-17C10 3/8-24 UNF Male HP:29kg/cm² Off LP:2.0kg/cm² Off |
| HC.19.0127 | For Nissan OE:92225-01E01 92225-01E00 3/8-24 UNF Male HP:27kg/cm2 off LP:2.0 kg/cm2 off |  HC.19.0127 For Nissan OE#92225-01E01;92225-01E00 3/8-24 UNF Male HP:27kg/cm² Off LP:2.0kg/cm² Off | HC.19.0128 | 7/16-20 UNF Male HP:28kg/cm2 off MP:17kg/cm2 on LP: 2kg/cm2 off R-134a |  HC.19.0128 7/16-20 UNF Female HP:28kg/cm² Off MP:17kg/cm² On LP:2.0kg/cm² Off R-134a |
| HC.19.0129 | 7/16-20 UNF Male HP:32kg/cm2 off MP:17kg/cm2 on LP: 2kg/cm2 off R-134a |  HC.19.0129 7/16-20 UNF Female HP:32kg/cm² Off MP:17kg/cm² On LP:2.0kg/cm² Off R-134a | HC.19.0130 | 3/8-20 UNF Male HP:26.5kg/cm2 off MP:17.5kg/cm2 on LP: 2kg/cm2 off R-12 |  HC.19.0130 3/8-20 UNF Male HP:26.5kg/cm² Off MP:17.5kg/cm² On LP:2.0kg/cm² Off R-12 |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|--|------------|--|--|
| HC.19.0131 | 7/16-20 UNF Male HP:26.5kg/cm ² off MP:17.5kg/cm ² on LP: 2kg/cm ² off R-12 |  HC.19.0131 7/16-20 UNF Female HP:26.5kg/cm ² Off MP:17.5kg/cm ² On LP:2.0kg/cm ² Off R-12 | HC.19.0132 | 7/16-20 UNF Male HP:26.5kg/cm ² off MP:17kg/cm ² on LP: 2kg/cm ² off R-12 |  HC.19.0132 7/16-20 UNF Female HP:26.5kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-12 |
| HC.19.0133 | 3/8-24 UNF Male HP:26.5kg/cm ² off MP:17.5kg/cm ² on LP: 2kg/cm ² off R-134a |  HC.19.0133 3/8-24 UNF Male HP:26.5kg/cm ² Off MP:17.5kg/cm ² On LP:2.0kg/cm ² Off R-134a | HC.19.0134 | 7/16-20 UNF Male HP:26.5kg/cm ² off MP:17.5kg/cm ² on LP: 2kg/cm ² off R-134a |  HC.19.0134 7/16-20 UNF Female HP:26.5kg/cm ² Off MP:17.5kg/cm ² On LP:2.0kg/cm ² Off R-134a |
| HC.19.0135 | 3/8-24 UNF Male HP:32kg/cm ² off MP:17 kg/cm ² on LP: 2kg/cm ² off R-134a |  HC.19.0135 3/8-24 UNF Male HP:32kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-134a | HC.19.0136 | 3/8-24 UNF Male HP:26.5kg/cm ² off MP:17 kg/cm ² on LP: 2kg/cm ² off R-12 |  HC.19.0136 3/8-24 UNF Male HP:26.5kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-12 |
| HC.19.0137 | 7/16-20 UNF Male HP:24kg/cm ² off MP:17 kg/cm ² on LP: 2kg/cm ² off R-12 |  HC.19.0137 7/16-20 UNF Female HP:24kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-12 | HC.19.0138 | 3/8-24 UNF Male HP:28kg/cm ² off MP:17 kg/cm ² on LP: 2kg/cm ² off R-134a |  HC.19.0138 3/8-24 UNF Male HP:28kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-134a |
| HC.19.0139 | 3/8-24 UNF Male HP:32kg/cm ² off MP:17kg/cm ² on LP: 2kg/cm ² off R-134a |  HC.19.0139 3/8-24 UNF Male HP:32kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-134a | HC.19.0140 | 7/16-20 UNF Male HP:26.5kg/cm ² off LP: 2kg/cm ² off R-12 |  HC.19.0140 7/16-20 UNF Female HP:26.5kg/cm ² Off LP:2.0kg/cm ² Off R-12 |
| HC.19.0141 | 3/8-24 UNF Male HP:28kg/cm ² off LP: 2kg/cm ² off R-134a |  HC.19.0141 3/8-24 UNF Male HP:28kg/cm ² Off LP:2.0kg/cm ² Off R-134a | HC.19.0142 | 3/8-24 UNF Male HP:32kg/cm ² off LP: 2kg/cm ² off R-134a |  HC.19.0142 3/8-24 UNF Male HP:32kg/cm ² Off LP:2.0kg/cm ² Off R-134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|--|------------|---|--|
| HC.19.0143 | 7/16-20 UNF Male HP:28kg/cm ² off LP: 2kg/cm ² off R-134a |  HC.19.0143 7/16-20 UNF Female HP:28kg/cm ² Off LP:2.0kg/cm ² Off R-134a | HC.19.0144 | 7/16-20 UNF Male HP:32kg/cm ² off LP: 2kg/cm ² off R-134a |  HC.19.0144 7/16-20 UNF Female HP:32kg/cm ² Off LP:2.0kg/cm ² Off R-134a |
| HC.19.0145 | 3/8-24 UNF Male HP:24kg/cm ² off MP:17kg/cm ² on LP: 2kg/cm ² off R-12 |  HC.19.0145 3/8-24 UNF Male HP:24kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-12 | HC.19.0146 | 7/16-20 UNF Male ON:17.5kg/cm ² OFF: 14.5 kg/cm ² R-134a R-12 |  HC.19.0146 7/16-20 UNF Female ON:17.5kg/cm ² OFF:14.5kg/cm ² R-134a R-12 |
| HC.19.0147 | 3/8-24 UNF Male HP:24kg/cm ² off LP: 2kg/cm ² off R-12 |  HC.19.0147 3/8-24 UNF Male HP:24kg/cm ² Off LP:2.0kg/cm ² Off R-12 | HC.19.0148 | 3/8-24 UNF Male HP:26.5kg/cm ² off LP: 2kg/cm ² off R-12 |  HC.19.0148 3/8-24 UNF Male HP:26.5kg/cm ² Off LP:2.0kg/cm ² Off R-12 |
| HC.19.0149 | 7/16-20 UNF Male HP:24kg/cm ² off LP: 2kg/cm ² off R-12 |  HC.19.0149 7/16-20 UNF Female HP:24kg/cm ² Off LP:2.0kg/cm ² Off R-12 | HC.19.0150 | For Saab OE:4319938,4071965 3/8-24 UNF Male HP:30kg/cm ² off MP:16kg/cm ² on LP: 2kg/cm ² off |  HC.19.0150 For Saab OE# 4319948,4071965 3/8-24 UNF Male HP:30kg/cm ² Off MP:16kg/cm ² On LP:2.0kg/cm ² Off |
| HC.19.0151 | For Saab OE:9627159 3/8-24 UNF Male HP:27kg/cm ² off MP:15kg/cm ² on LP: 2kg/cm ² off |  HC.19.0151 For Saab OE# 9627159 3/8-24 UNF Male HP:27kg/cm ² Off MP:15kg/cm ² On LP:2.0kg/cm ² Off | HC.19.0152 | For Saab OE:0048206710 002 820 5210 3/8-24 UNF Male ON:20.5kg/cm ² OFF: 15.5 kg/cm ² R-134a |  HC.19.0152 For Mercedes-Benz OE# 004 820 6710 002 820 5210 3/8-24 UNF Male ON:20.5kg/cm ² OFF:15.5kg/cm ² R-134a |
| HC.19.0153 | For BMW E34 1988 Serie5 OE:64-53-1379688 1/8-NPT 27 Male OFF: 32kg/cm ² ON:22kg/cm ² |  HC.19.0153 For BMW E34 1988 Serie5 OE# 64-53-1379688 1/8-NPT 27 Male OFF:32kg/cm ² ON:22kg/cm ² | HC.19.0154 | For BMW E30 Serie3 OE:64-53-1-386-971 1/8-NPT 27 Male OFF: 32kg/cm ² ON:22kg/cm ² |  HC.19.0154 For BMW E30 Serie3 OE# 64-53-1-386-971 1/8-NPT 27 Male OFF:32kg/cm ² ON:22kg/cm ² |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---|
| HC.19.0155 | For Mercedes-Benz OE:A0048206810 3/8-24 UNF Male ON:15.5kg/cm ² OFF:10.5kg/cm ² R-134a |  HC.19.0155 For Mercedes-Benz OE# A0048206810 3/8-24 UNF Male ON:15.5kg/cm ² OFF:10.5kg/cm ² R-134a | HC.19.0156 | For BMW E30 Serie3 OE:64538390971 7/16-20 UNF FeMale HP:30kg/cm ² off LP:2kg/cm ² off |  HC.19.0156 For BMW E30 Serie3 OE# 64538390971 7/16-20 UNF Female HP:30kg/cm ² Off LP:2.0kg/cm ² Off |
| HC.19.0157 | For BMW E30 Serie7/E34-Serie5 OE:64531390070 7/16-20 UNF FeMale HP:32kg/cm ² off MP:17kg/cm ² on LP:2kg/cm ² off R-134a |  HC.19.0157 For BMW E32-Serie 7/E34-Serie5 OE# 64-53-1-390-070 7/16-20 UNF Female HP:32kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-134a | HC.19.0158 | For BMW E36 Serie3 OE:64538390582 7/16-20 UNF FeMale-long HP:32kg/cm ² off MP:17kg/cm ² on LP:2kg/cm ² off R-134a |  HC.19.0158 For BMW E36-Serie 3 OE# 64-53-8-390-582 7/16-20 UNF Female-long HP:32kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-134a |
| HC.19.0159 | For BMW E34 Serie5/E32-Serie7 OE:64531390070/64538390815 7/16-20 UNF FeMale HP:32kg/cm ² off MP:17kg/cm ² on LP:2kg/cm ² off R-134a |  HC.19.0159 For BMW E34-Serie 5 E32-Serie 7 OE#64531390070 / 64538390815 7/16-20 UNF Female HP:32kg/cm ² Off MP:17kg/cm ² On LP:2.0kg/cm ² Off R-134a | HC.19.0160 | For Infinity OE:92137-10Y00 3/8-24 UNF Male HP:27kg/cm ² off MP:15.5kg/cm ² on LP:1.8kg/cm ² off |  HC.19.0160 For Infinity OE# 92137-10Y00 3/8-24 UNF Male HP:27kg/cm ² Off MP:15.5kg/cm ² On LP:1.8kg/cm ² Off |
| HC.19.0161 | For Infinity OE:92137-1E400 3/8-24 UNF Male HP:2.7Mpa off MP:1.6Mpa on LP:0.28 Mpa off |  HC.19.0161 For Infinity OE# 92137-1E400 3/8-24 UNF Male HP:2.7Mpa Off MP:1.6Mpa On LP:0.28Mpa Off | HC.19.0162 | For Ford 90> OE: 90GG19D560AA 7/16-20 UNF Male HP:30.6kg/cm ² off MP:18.5kg/cm ² on LP:1.2kg/cm ² off R12 |  HC.19.0162 For Ford 90> OE# 90GG19D560AA 7/16-20 UNF Female HP:30.6kg/cm ² Off MP:18.5kg/cm ² On LP:1.2kg/cm ² Off R12 |
| HC.19.0163 | For Ford Drleres 94> OE: 93GW19D566AA M12-P1.25 FeMale HP:30.6kg/cm ² off MP:18.5kg/cm ² on LP:1.2kg/cm ² off R134a |  HC.19.0163 For Ford Drleres 94> OE# 93GW19D566AA M12-P1.25 Female HP:30.6kg/cm ² Off MP:18.5kg/cm ² On LP:1.2kg/cm ² Off R134a | HC.19.0164 | For Nissan 3/8-24 UNF Male HP:(A)27kg/cm ² off (B)32kg/cm ² off (C)30kg/cm ² off LP:2.0kg/cm ² off R-12 R-134a |  HC.19.0164 For Nissan 3/8-24 UNF Male HP:(A)27kg/cm ² Off (B)32kg/cm ² Off (C)30kg/cm ² Off LP:2.0kg/cm ² Off R-12 R-134a |
| HC.19.0165 | For Ford 3/8-24 UNF Male HP:(A)27kg/cm ² off (B)32kg/cm ² off (C)30kg/cm ² off LP:2.0kg/cm ² off R-12 R-134a |  HC.19.0165 For Ford 3/8-24 UNF Male HP:(A)27kg/cm ² Off (B)32kg/cm ² Off (C)30kg/cm ² Off LP:2.0kg/cm ² Off R-12 R-134a | HC.19.0166 | For Nissan OE:92137-40F00 3/8-24 UNF Male HP:(A)27kg/cm ² off (B)32kg/cm ² off (C)30kg/cm ² off LP:2.0kg/cm ² off R-12 R-134a |  HC.19.0166 For Nissan OE#92137-40F00 3/8-24 UNF Male HP:(A)27kg/cm ² Off (B)32kg/cm ² Off (C)30kg/cm ² Off LP:2.0kg/cm ² Off R-12 R-134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|--|--|
| HC.19.0167 | For Toyota OE:88645-14010 3/8-24 UNF Male ON:15.5kg/cm2 OFF:12.5kg/cm2 |  HC.19.0167 For Toyota OE#88645-14010 3/8-24 UNF Male ON:15.5kg/cm ² OFF:12.5kg/cm ² | HC.19.0168 | 3/8-24 UNF Male ON:18kg/cm2 OFF:15kg/cm2 |  HC.19.0168 3/8-24 UNF Male ON:18kg/cm ² OFF:15kg/cm ² 3/8-24 UNF Male ON:2.1kg/cm ² OFF:1.5kg/cm ² |
| HC.19.0169 | OE: 0489 7615AA M12-P1.5 FeMale ON:2.3kg/cm2 OFF:1.6kg/cm2 |  HC.19.0169 OE#0489 7615AA M12-P1.5 Female ON:2.3kg/cm ² OFF:1.6kg/cm ² | HC.19.0170 | OE: 0489 7612AA M12-P1.5 FeMale ON:1.8kg/cm2 OFF:0.8kg/cm2 |  HC.19.0170 OE#0489 7612AA M12-P1.5 Female ON:1.8kg/cm ² OFF:0.8kg/cm ² |
| HC.19.0171 | For General motor M12-P1.5 FeMale ON:3.2kg/cm2 OFF:1.6kg/cm2 R-134a |  HC.19.0171 For General motor M12-P1.5 Female ON:3.2kg/cm ² OFF:1.6kg/cm ² R-134a | HC.19.0172 | For VW/Audi OE: 893959482A 7/16-20 UNF FeMale ON:32kg/cm2 OFF:16.8kg/cm2 |  HC.19.0172 For VW/Audi OE# 893959482A 7/16-20 UNF Female ON:32kg/cm ² (DIFF) OFF:16.8kg/cm ² |
| HC.19.0173 | OE: 90277341 3/8-24 UNF FeMale OFF:3.1kg/cm2 ON:2.3kg/cm2 |  HC.19.0173 OE# 90277341 3/8-24 UNF Female OFF:3.1kg/cm ² (DIFF) ON:2.3kg/cm ² | HC.19.0174 | OE:7788280/46410020 7/16-20 UNF Female HP:28kg/cm2 off MP:15.5 kg/cm2 on LP:3 kg/cm2 off R-134a |  HC.19.0174 OE#7788280/46410020 7/16-20 UNF Female HP:28kg/cm ² Off MP:15.5kg/cm ² On LP:3.0kg/cm ² Off R-134a |
| HC.19.0175 | For ford M10-P1.25 Female HP:17.5kg/cm2 on 30.2kg/cm2 off MP: 23kg/cm2 on 19.6kg/cm2 off OE:F5CH-19D594-AA(9926) |  HC.19.0175 For Ford M10-P1.25 Female HP:17.5kg/cm ² On 30.2kg/cm ² Off MP:23.0kg/cm ² On 19.6kg/cm ² Off OE#F5CH-19D594-AA(9926) | HC.19.0176 | For ford Mondeo M10-P1.25 Female HP:19.2kg/cm2 on 30.2kg/cm2 off MP: 21.1kg/cm2 on 18.1kg/cm2 off OE:F58H-19D594-AA(0001) F58219D594A |  HC.19.0176 For Ford Mondeo M10-P1.25 Female HP:19.2kg/cm ² On 30.2kg/cm ² Off MP:21.1 kg/cm ² On 18.1kg/cm ² Off OE#F58 H-19D594-AA(0001) F58219D594A |
| HC.19.0177 | For ford M10-P1.25 Female HP:18.9kg/cm2 on 33.1kg/cm2 off MP: 22.3kg/cm2 on 19kg/cm2 off OE:F4TH-19D594-AA(9413) |  HC.19.0177 For Ford M10-P1.25 Female HP:18.9kg/cm ² On 33.1 kg/cm ² Off MP:22.3kg/cm ² On 19.0kg/cm ² Off OE#F4TH-19D594-AA(9413) | HC.19.0178 | For ford M10-P1.25 Female HP:16.1kg/cm2 on 30.8kg/cm2 off MP: 22.8kg/cm2 on 18.96kg/cm2 off OE:FACH-19D594-AA(9732) |  HC.19.0178 For Ford M10-P1.25 Female HP:16.1kg/cm ² On 30.8kg/cm ² Off MP:22.8kg/cm ² On 18.96kg/cm ² Off OE#FACH-19D594-AA(9732) |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|--|------------|--|---|
| HC.19.0179 | For Nissan Quest 93-97 M10-P1.25 Female HP: 14.5kg/cm ² on 30.6kg/cm ² off MP: 22.9kg/cm ² on 18.5kg/cm ² off OE:FACH-19D594-AA(9732) |  HC.19.0179 For Nissan Quest 93-97 M10-P1.25 Female HP:14.5kg/cm ² On 30.6kg/cm ² Off MP:22.9kg/cm ² On 18.5kg/cm ² Off OE#FACH-19D594-AA(9732) | HC.19.0180 | For ford M10-P1.25 Female HP:17.6kg/cm ² on 31.5kg/cm ² off MP: 17.1kg/cm ² on 14.4kg/cm ² off OE:F42H-19D594-AA(9937) |  HC.19.0180 For Ford M10-P1.25 Female HP:17.6kg/cm ² On 31.5kg/cm ² Off MP:17.1kg/cm ² On 14.4kg/cm ² Off OE#F42H-19 D594-AA(9937) |
| HC.19.0181 | For Ford M10-P1.25 Female HP:17.5kg/cm ² on 31.5kg/cm ² off MP:23kg/cm ² on 17.5kg/cm ² off |  HC.19.0181 For Ford M10-P1.25 Female HP:17.5kg/cm ² On 31.5kg/cm ² Off MP:23.0kg/cm ² On 17.5kg/cm ² Off | HC.19.0182 | For GM M10-P1.25 Female HP:23kg/cm ² off LP:2kg/cm ² off |  HC.19.0182 For GM M10-P1.25 Female HP:23kg/cm ² Off LP:2.0kg/cm ² Off |
| HC.19.0183 | 7/16-20 UNF Female HP: 31.4kg/cm ² off MP:17 kg/cm ² on LP:2 kg/cm ² off R-134a |  HC.19.0183 7/16-20 UNF Female HP:31.4kg/cm ² off MP:17kg/cm ² on LP:2.0kg/cm ² off R-134a | HC.19.0184 | For Ford cars M10-P1.25 Female OFF:35kg/cm ² NO:2.1kg/cm ² |  HC.19.0184 For Ford Cars M10-P1.25 OFF:35kg/cm ² NO:2.1 kg/cm ² |
| HC.19.0185 | OE:F5T2-19D594 M10-P1.25 Female OFF:33kg/cm ² NO:19kg/cm ² OFF:35kg/cm ² ON:24kg/cm ² |  HC.19.0185 OE#F5T2-19D594 M10-P1.25 Female OFF:33kg/cm ² ON:19kg/cm ² OFF:35kg/cm ² ON:24kg/cm ² | HC.19.0186 | For Ford Ecosport OE:XS7H-19D594-AA M10-P1.25 Female HP:33kg/cm ² off MP:19kg/cm ² on |  HC.19.0186 For Ford Ecosport OE#XS7H-19D594-AA M10-P1.25 Female HP:33kg/cm ² Off MP:19kg/cm ² On |
| HC.19.0187 | For Ford Ecosport OE:XS7H-19D594-AA M10-P1.25 Female HP:33kg/cm ² off MP:19kg/cm ² on |  HC.19.0187 For Ford Ecosport OE#XS7H-19D594-AA M10-P1.25 Female HP:33kg/cm ² Off MP:19kg/cm ² On | HC.19.0188 | 7/16-20 UNF Female HP:31.4 kg/cm ² off MP:15.2 kg/cm ² on LP:1.96 kg/cm ² off R-134a |  HC.19.0188 7/16-20 UNF Female HP:31.4kg/cm ² Off MP:15.2kg/cm ² On LP:1.96kg/cm ² Off R-134a |
| HC.19.0189 | 7/16-20 UNF Female HP: 27kg/cm ² off MP:15kg/cm ² on LP:2 kg/cm ² off R-134a |  HC.19.0189 7/16-20 UNF Female HP:27kg/cm ² MP:15kg/cm ² LP:2.0kg/cm ² R-134a | HC.19.0190 | M10-P1.25 Female ON:24 kg/cm ² OFF:19 kg/cm ² |  HC.19.0190 M10-P1.25 Female ON:24kg/cm ² OFF:19kg/cm ² |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|--|------------|---|--|
| HC.19.0191 | For GM 7/16-20 UNF Female HP:28kg/cm2 off LP:2 kg/cm2 off |  HC.19.0191 For GM 7/16-20 UNF Female HP:28kg/cm ² Off LP:2.0kg/cm ² Off | HC.19.0192 | M10-P1.25 Female OFF: 33kg/cm2 ON:19 kg/cm2 OFF:35 kg/cm2 ON:21kg/cm2 |  HC.19.0192 M10-P1.25 Female OFF:33kg/cm ² ON:19kg/cm ² OFF:35kg/cm ² ON:21kg/cm ² |
| HC.19.0193 | 7/16-20 UNF Female HP:35kg/cm2 LP:19kg/cm2 |  HC.19.0193 7/16-20 UNF Female HP:35kg/cm ² LP:19kg/cm ² | HC.19.0194 | OE:7042 CD4W61503 M10-P1.25 ON:27.5kg/cm2 OFF:20kg/cm2 |  HC.19.0194 OE#7042 CD4W61503 M10-P1.25 ON:27.5kg/cm ² OFF:20kg/cm ² |
| HC.19.0195 | For Chrysler OE:61534773190 OE:71334773190 M10-P1.25 Female OFF:24 kg/cm2 ON:35 kg/cm2 |  HC.19.0195 For Chrysler OE#61534773190 OE#71334773190 M10-P1.25 Female OFF:24kg/cm ² ON:35kg/cm ² | HC.19.0196 | M10-P1.25 Female OFF:10kg/cm2 ON:6 kg/cm2 |  HC.19.0196 M10-P1.25 Female ON:10kg/cm ² OFF:6kg/cm ² |
| HC.19.0197 | For Chrysler Jeep OE:6145E103900 M10-P1.25 Female OFF:2 kg/cm2 ON:33 kg/cm2 |  HC.19.0197 For Chrysler Jeep OE#6145E103900 M10-P1.25 Female LP:2.0kg/cm ² Off HP:33kg/cm ² Off | HC.19.0198 | For Ford Cars 05 OE:YC1Z-19E561-AA M12-P1.5 Female OFF:0.7 kg/cm2 ON:1.7 kg/cm2 |  HC.19.0198 For Ford Cars 05 OE#YC1Z-19E561-AA M12-P1.5 Female ON:1.7kg/cm ² OFF:0.7kg/cm ² R-134a |
| HC.19.0199 | For Ford Trucks 05 OE: YC2Z-19E561-AA M12-P1.5 Female OFF:1.3 kg/cm2 ON:2.8 kg/cm2 R-134a |  HC.19.0199 For Ford Trucks 05 OE#YC2Z-19E561-AA M12-P1.5 Female ON:2.8kg/cm ² OFF:1.3kg/cm ² R-134a | HC.19.0200 | For Ford OE:F6RZ19E561AA 95BW19E561AA 10165625 M12-P1.5 Female OFF:1.6 kg/cm2 ON:2.8 kg/cm2 R-134a |  HC.19.0200 For Ford OE#F6RZ19E561AA 95BW19E561AA 10165625 M12-P1.5 Female ON:2.8kg/cm ² OFF:1.6kg/cm ² R-134a |
| HC.19.0201 | For Ford cars 05 OE:3W1Z-19E561-AA M12-P1.5 Female ON:2 kg/cm2 OFF:1.3kg/cm2 R-134a |  HC.19.0201 For Ford Cars 05 OE#3W1Z-19E561-AA M12-P1.5 Female ON:2.0kg/cm ² OFF:1.3kg/cm ² R-134a | HC.19.0202 | For GM M12-P1.5 Female OFF:0.7 kg/cm2 ON:1.3 kg/cm2 |  HC.19.0202 For GM M12-P1.5 Female ON:1.3kg/cm ² OFF:0.7kg/cm ² |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|--|------------|--|--|
| HC.19.0203 | For GM OE:52476843 ACD:15-5615 M12-P1.5 Female OFF:1.8 kg/cm2 ON:2.8 kg/cm2 |  HC.19.0203 For GM OE#52476843 ACD:15-5615 M12-P1.5 ON:2.8kg/cm² OFF:1.8kg/cm² | HC.19.0204 | FOR GM M12-P1.5 Female OFF:1.6 kg/cm2 ON:2.9 kg/cm2 |  HC.19.0204 For GM M12-P1.5 Female ON:2.9kg/cm² OFF:1.6kg/cm² |
| HC.19.0205 | FOR Ford Cars OE:7042CD4W61503 M12-P1.5 Female OFF:35 kg/cm2 ON:24.5 kg/cm2 R-134a |  HC.19.0205 For Ford Cars OE# 7042 CD4 W61503 M12-P1.5 ON:24.5kg/cm² OFF:35kg/cm² R-134a | HC.19.0206 | FOR Dodge trucks/jeep M12-P1.5 Female OFF:1.7 kg/cm2 ON:2.7 kg/cm2 R-134a |  HC.19.0206 For Dodge trucks/jeep M12-P1.5 ON:2.7kg/cm² OFF:1.7kg/cm² R-134a |
| HC.19.0207 | FOR Ford Truck OE: F5T2-19D594-AA M10-P1.25 Female OFF:33 kg/cm2 ON:19 kg/cm2 R-134a |  HC.19.0207 For Ford Truck OE# F5T2-19D594-AA M10-P1.25 Female ON:19kg/cm² OFF:33kg/cm² R-134a | HC.19.0208 | FOR Nissan 3/8-24 UNF Female HP:27 kg/cm2 LP:2 kg/cm2 R-134a |  |
| HC.19.0209 | 3/8-24 UNF Male HP:(A)27 kg/cm2 off (B)32 kg/cm2 off ©30 kg/cm2 off LP:2 kg/cm2 off R-12 R-134a |  HC.19.0209 3/8-24 UNF Male HP:(A)27kg/cm² Off (B)32kg/cm² Off (C)30kg/cm² Off LP:2.0kg/cm² Off R-12 R-134a | HC.19.0210 | For Opel M10-P1.25 Male HP:30kg/cm2 off MP:15kg/cm2 on LP:2kg/cm2 off R-134a |  HC.19.0210 For Opel M10-P1.25 Male HP:30kg/cm² Off MP:15kg/cm² On LP:2.0kg/cm² Off R-134a |
| HC.19.0211 | For Opel M10-P1.25 Male HP:27kg/cm2 off MP:18.5kg/cm2 on LP:2kg/cm2 off R-134a |  HC.19.0211 For Opel M10-P1.25 Male HP:27kg/cm² Off MP:18.5kg/cm² On LP:2.0kg/cm² Off R-134a | HC.19.0212 | For Renault OE:7700837219/1016565 95BM19E561AA/3317869/ 60156037 7/16-20 UNF FeMale HP:28kg/cm2 off MP:18kg/cm2 on LP:2kg/cm2 off R-134a |  HC.19.0212 For Renault OE#7700837219/1016565 95BM19E561AA 3317869 / 60156037 7/16-20 UNF Female HP:28kg/cm² Off MP:18kg/cm² On LP:2.0kg/cm² Off R-134a |
| HC.19.0213 | For Renault OE:7700424025 M10-P1.25 UNF FeMale HP:28kg/cm2 off MP:18kg/cm2 on LP:2kg/cm2 off R-134a |  HC.19.0213 For Renault OE#7700424025 M10-P1.25 UNF Female HP:28kg/cm² Off MP:18kg/cm² On LP:2.0kg/cm² Off R-134a | HC.19.0214 | For Renault OE:7700424025 7/16-20 UNF FeMale HP:28kg/cm2 off MP:18kg/cm2 on LP:2kg/cm2 off R-134a |  HC.19.0214 For Renault OE#7700424025 7/16-20 UNF Female HP:28kg/cm² Off MP:18kg/cm² On LP:2.0kg/cm² Off R-134a |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|--|------------|---|---|
| HC.19.0215 | 1/4-18 UNF Male OFF:17kg/cm2 ON:15kg/cm2 |  HC.19.0215 1/4-18 UNF MALE OFF:17kg/cm² ON:15kg/cm² | HC.19.0216 | For Renault OE:7700413763/7700435692 7/16-20 UNF FeMale ON:22kg/cm2 OFF:15kg/cm2 R-134a |  HC.19.0216 For Renault OE#7700413763 / 7700435692 7/16-20 UNF Female ON:22kg/cm² OFF:15kg/cm² R-134a |
| HC.19.0217 | For Fiat/Punto lancia/Kappa M10-P1.0 Male HP:28kg/cm2 off MP:20kg/cm2 on LP:2.4 kg/cm2 off R-134a |  HC.19.0217 For Fiat/Punto lancia/Kappa M10-P1.0 Male HP:28 bar Off MP:20 Bar On LP:2.4 Bar Off R-134a | HC.19.0218 | For Peugeot 405 7/16-20 UNF Female HP:32 Bar off MP:18 Bar on LP:2.3 Bar off |  HC.19.0218 For Peugeot 405 7/16-20 UNF Female HP:32 Bar Off MP:18 Bar On LP:2.3 Bar Off |
| HC.19.0219 | For Cotroen Peugeot OE:9603308080 HP:26 Bar off MP:19 Bar on LP:2.0 Bar off |  HC.19.0219 For Cotroen Peugeot OE#9603308080 HP:26 Bar Off MP:19 Bar On LP:2.0 Bar Off | HC.19.0220 | For Peugeot 405 7/16-20 UNF Female HP:32 Bar off MP:18 Bar on LP:2.0 Bar off |  HC.19.0220 For Peugeot 405 7/16-20 UNF Female HP:32 Bar Off MP:18 Bar On LP:2.0 Bar Off |
| HC.19.0221 | M10-1.25 UNF Male OFF:1.6kg/cm2 ON:1.2 |  HC.19.0221 M10-1.25 UNF MALE OFF:1.6kg/cm² ON:1.2 | HC.19.0222 | For OPEL 7/16-20 UNF Female HP:28 Bar off MP:18.5 Bar on BP:2.45 Bar off |  |
| HC.19.0266 | OE:6455*5 HP:26kg/cm2 off MP:21kg/cm2 on LP:2.5kg/cm2 off |  | HC.19.0265 | OE:64538362055 7/16-20 UNF FEMALE HP:32kg/cm2 off MP:18kg/cm2 on LP:1.2kg/cm2 off R-134a |  |
| HC.19.0278 | 10-1.25 UNF FEMALE ON:16.5KG/CM2 OFF:19.5KG/CM2 |  | HC.19.0279 | 7/16-20 UNF FEMALE ON:2.2KG/CM2 OFF:0.4KG/CM2 |  |
| HC.19.0280 | 7/16-20 UNF FEMALE ON:2.4KG/CM2 OFF:1.0KG/CM2 |  | HC.19.0281 | 7/16-20 UNF FEMALE ON:2.7KG/CM2 OFF:2.0KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|---|---|
| HC.19.0282 | 10-1.25 UNF FEMALE ON:13.5KG/CM2 OFF:20KG/CM2 |  | HC.19.0283 | 10-1.25 UNF FEMALE ON:17.2KG/CM2 OFF:14.5KG/CM2 |  |
| HC.19.0284 | 10-1.25 UNF FEMALE ON:17.5KG/CM2 OFF:14.3KG/CM2 |  | HC.19.0285 | 10-1.25 UNF FEMALE ON:24KG/CM2 OFF:16.5KG/CM2 |  |
| HC.19.0286 | 10-1.25 UNF FEMALE ON:17.5KG/CM2 OFF:12.5KG/CM2 |  | HC.19.0287 | 7/16-20 UNF FEMALE ON:2.9KG/CM2 OFF:2.4KG/CM2 |  |
| HC.19.0288 | 7/16-20 UNF FEMALE ON:17.5KG/CM2 OFF:13KG/CM2 |  | HC.19.0289 | 7/16-20 UNF FEMALE ON:14.5KG/CM2 OFF:11KG/CM2 |  |
| HC.19.0290 | 7/16-20 UNF FEMALE ON:17.5KG/CM2 OFF:11.5KG/CM2 |  | HC.19.0291 | 7/16-20 UNF FEMALE ON:17.5KG/CM2 OFF:12KG/CM2 |  |
| HC.19.0292 | 7/16-20 UNF FEMALE ON:17KG/CM2 OFF:14.5KG/CM2 |  | HC.19.0293 | 7/16-20 UNF FEMALE ON:20KG/CM2 OFF:14.3KG/CM2 |  |
| HC.19.0294 | 7/16-20 UNF FEMALE ON:0.2KG/CM2 OFF:1.9KG/CM2 |  | HC.19.0295 | 7/16-20 UNF FEMALE ON:26KG/CM2 OFF:16.5KG/CM2 |  |
| HC.19.0296 | 7/16-20 UNF FEMALE ON:0.3KG/CM2 OFF:2.2KG/CM2 |  | HC.19.0297 | 7/16-20 UNF FEMALE ON:2.1KG/CM2 OFF:0.5KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|---|---|
| HC.19.0298 | 7/16-20 UNF FEMALE ON:17KG/CM2 OFF:12.2KG/CM2 |  | HC.19.0299 | 7/16-20 UNF FEMALE ON:25.5KG/CM2 OFF:17.5KG/CM2 |  |
| HC.19.0300 | 7/16-20 UNF FEMALE ON:15.5KG/CM2 OFF:18.5KG/CM2 |  | HC.19.0301 | 7/16-20 UNF FEMALE ON:20.5KG/CM2 OFF:14.3KG/CM2 |  |
| HC.19.0301 | 7/16-20 UNF FEMALE ON:23KG/CM2 OFF:14.2KG/CM2 |  | HC.19.0302 | 7/16-20 UNF FEMALE ON:17.5KG/CM2 OFF:12.2KG/CM2 |  |
| HC.19.0303 | 7/16-20 UNF FEMALE ON:21.5KG/CM2 OFF:17KG/CM2 |  | HC.19.0304 | 7/16-20 UNF FEMALE ON:25.5KG/CM2 OFF:14KG/CM2 |  |
| HC.19.0305 | 10-1.25 UNF FEMALE ON:21KG/CM2 OFF:17KG/CM2 |  | HC.19.0306 | 3/8-24 UNF MALE HP:27KG/CM2 OFF MP:15KG/CM2 OFF LP:2.0KG/CM2 OFF |  |
| HC.19.0307 | 7/16-20 UNF FEMALE ON:22KG/CM2 OFF OFF:2.0KG/CM2 OFF |  | HC.19.0308 | 7/16-20 UNF FEMALE ON:22KG/CM2 OFF OFF:2.0KG/CM2 OFF |  |
| HC.19.0309 | 1/8-27 NPT MALE OFF:1.9KG/CM2 |  | HC.19.0310 | M10-P1.25 UNF FEMALE HP: 32KG/CM2 OFF LP:2KG/CM2 OFF |  |
| HC.19.0310 | 12-1.5 UNF MALE ON:20KG/CM2 OFF:1.1KG/CM2 |  | HC.19.0312 | 10*1.25 LP:2KG/CM2 30KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---|
| HC.19.0313 | M10-P1.25 UNF FEMALE ON:25KG/CM2 OFF:17KG/CM2 |  | HC.19.0314 | 3/8-24 UNF MALE HP:31.4KG/CM2 MP:17.7KG/CM2 LP:2.0KG/CM2 NC SMALL HOLE |  |
| HC.19.0315 | M10-P1.25 UNF FEMALE ON:0.5KG/CM2 OFF:2.5KG/CM2 |  | HC.19.0316 | M10-P1.25 UNF FEMALE ON:20KG/CM2 OFF:14.5KG/CM2 |  |
| HC.19.0317 | M10-P1.25 UNF FEMALE ON:16.5KG/CM2 OFF:0.7KG/CM2 |  | HC.19.0318 | 7/16-20 UNF FEMALE ON:23.9KG/CM2 OFF:14.7KG/CM2 |  |
| HC.19.0319 | M10-P1.25 UNF FEMALE ON:17KG/CM2 OFF:13KG/CM2 |  | HC.19.0320 | M10-P1.25 UNF FEMALE ON:2.9KG/CM2 OFF:2.3KG/CM2 |  |
| HC.19.0321 | 7/16-20 UNF FEMALE ON:2.8KG/CM2 OFF:2.2KG/CM2 |  | HC.19.0322 | 7/16-20 UNF FEMALE ON:2.6KG/CM2 OFF:1.0KG/CM2 |  |
| HC.19.0323 | M10-P1.25 UNF FEMALE ON:14.5KG/CM2 OFF:18.5KG/CM2 |  | HC.19.0324 | |  |
| HC.19.0325 | 7/16-12UNF FEMALE ON:12.2KG/CM2 OFF:18.3KG/CM2 |  | HC.19.0326 | M10-P1.25 UNF FEMALE ON:21.1KG/CM2 OFF:17.6KG/CM2 |  |
| HC.19.0327 | M10-P1.25 UNF FEMALE ON:16.8KG/CM2 OFF:20KG/CM2 |  | HC.19.0328 | M10-P1.25 UNF FEMALE ON:16.8KG/CM2 OFF:20KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|---|---|
| HC.19.0329 | 7/16-20UNF FEMALE ON:0.4KG/CM2 OFF: 0.3KG/CM2 |  | HC.19.0330 | 7/16-20UNF FEMALE ON:31.7KG/CM2 OFF: 21.7KG/CM2 |  |
| HC.19.0331 | 7/16-20UNF FEMALE ON:21KG/CM2 OFF: 16KG/CM2 |  | HC.19.0332 | 7/16-20UNF FEMALE ON:3KG/CM2 OFF: 1.5KG/CM2 |  |
| HC.19.0333 | 7/16-20UNF FEMALE ON:26.5KG/CM2 OFF: 20KG/CM2 |  | HC.19.0334 | 7/16-20UNF FEMALE ON: 1.9KG/CM2 OFF: 0.5KG/CM2 |  |
| HC.19.0335 | 7/16-20UNF FEMALE ON:1.9KG/CM2 OFF: 0.5KG/CM2 |  | HC.19.0336 | 7/16-20UNF FEMALE ON: 15.7KG/CM2 OFF: 26KG/CM2 |  |
| HC.19.0337 | 7/16-20UNF FEMALE ON: 1.38KG/CM2 OFF: 0.55KG/CM2 |  | HC.19.0338 | 7/16-20UNF FEMALE ON: 13KG/CM2 OFF: 9.5KG/CM2 |  |
| HC.19.0339 | 7/16-20UNF FEMALE ON: 10KG/CM2 OFF: 7KG/CM2 |  | HC.19.0340 | 7/16-20UNF FEMALE ON: 6.5KG/CM2 OFF: 10.3KG/CM2 |  |
| HC.19.0341 | 3/8-24UNF MALE ON: 3.6KG/CM2 OFF: 1.7KG/CM2 |  | HC.19.0342 | 1/8-27UNF MALE ON: 21.5KG/CM2 OFF: 31.5KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|--|---|
| HC.19.0343 | 1/8-27UNF MALE ON: 4KG/CM2 OFF: 7KG/CM2 |  | HC.19.0344 | 7/16-20UNF FEMALE ON: 15KG/CM2 OFF: 20.3KG/CM2 |  |
| HC.19.0345 | 7/16-20UNF FEMALE ON: 10.5KG/CM2 OFF: 15.8KG/CM2 |  | HC.19.0346 | 7/16-20UNF FEMALE ON: 1.5KG/CM2 OFF: 2KG/CM2 |  |
| HC.19.0347 | 7/16-20UNF FEMALE ON: 2.0KG/CM2 OFF: 1.0KG/CM2 |  | HC.19.0348 | 7/16-20UNF FEMALE ON: 0.5KG/CM2 OFF: 1.5KG/CM2 |  |
| HC.19.0349 | 7/16-20UNF FEMALE ON: 0.15KG/CM2 OFF: 0.05KG/CM2 |  | HC.19.0350 | 7/16-20UNF FEMALE ON: 17.5KG/CM2 OFF: 23.5KG/CM2 |  |
| HC.19.0351 | 7/16-20UNF FEMALE ON: 18KG/CM2 OFF: 30KG/CM2 |  | HC.19.0352 | 7/16-20UNF FEMALE ON: 0.21KG/CM2 OFF: 0.04KG/CM2 |  |
| HC.19.0353 | 7/16-20UNF FEMALE ON: 20.5KG/CM2 OFF: 26.5KG/CM2 |  | HC.19.0354 | 7/16-20UNF FEMALE ON: 13.5KG/CM2 OFF: 26.5KG/CM2 |  |
| HC.19.0355 | 7/16-20UNF FEMALE ON: 15KG/CM2 OFF: 20KG/CM2 |  | HC.19.0356 | 7/16-20UNF FEMALE ON: 18.5KG/CM2 OFF: 12.5KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---|
| HC.19.0357 | M10-P1.25 UNF FEMALE ON:17.6KG/CM2 OFF:21KG/CM2 |  | HC.19.0358 | 7/16-20UNF FEMALE ON: 14.7KG/CM2 OFF: 21KG/CM2 |  |
| HC.19.0359 | M10-P1.25 UNF FEMALE ON:1.94KG/CM2 OFF:1.58KG/CM2 |  | HC.19.0360 | 7/16-20UNF FEMALE ON: 17.5KG/CM2 OFF: 24KG/CM2 |  |
| HC.19.0361 | 7/16-20UNF FEMALE ON: 1.6KG/CM2 OFF: 0.9KG/CM2 |  | HC.19.0362 | 1/4-18 UNF MALE OFF:0.05KG/CM2 |  |
| HC.19.0363 | 1/8-27 UNF MALE ON:18.5KG/CM2 OFF:14.5KG/CM2 |  | HC.19.0364 | 7/16-20UNF FEMALE ON: 1.5KG/CM2 OFF: 0.5KG/CM2 |  |
| HC.19.0365 | 7/16-20UNF FEMALE ON: 14KG/CM2 OFF: 21KG/CM2 |  | HC.19.0366 | 7/16-20UNF FEMALE ON: 14.7KG/CM2 OFF: 23.9KG/CM2 |  |
| HC.19.0367 | 7/16-20UNF FEMALE ON: 13.5KG/CM2 OFF: 27KG/CM2 |  | HC.19.0368 | 7/16-20UNF FEMALE ON: 13.5KG/CM2 OFF: 20.5KG/CM2 |  |
| HC.19.0369 | M10-P1.25UNF FEMALE ON: 0.3KG/CM2 OFF: 1.5KG/CM2 |  | HC.19.0370 | 7/16-20UNF FEMALE ON: 14KG/CM2 OFF: 27KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|--|---|
| HC.19.0371 | 7/16-20UNF FEMALE ON: 14KG/CM2 OFF: 27KG/CM2 |  | HC.19.0372 | M10-P1.25UNF FEMALE ON: 16.5KG/CM2 OFF: 20.5KG/CM2 |  |
| HC.19.0373 | M10-P1.25UNF FEMALE ON: 15.6KG/CM2 OFF: 19KG/CM2 |  | HC.19.0374 | M10-P1.25UNF FEMALE ON: 16.8KG/CM2 OFF: 20KG/CM2 |  |
| HC.19.0375 | M10-P1.25UNF FEMALE ON: 2.7KG/CM2 OFF: 0.7KG/CM2 |  | HC.19.0376 | 1/8-27UNF MALE ON: 22KG/CM2 OFF: 27KG/CM2 |  |
| HC.19.0377 | 7/16-20UNF FEMALE ON: 21KG/CM2 OFF: 29KG/CM2 |  | HC.19.0378 | 7/16-20UNF FEMALE ON: 2.45KG/CM2 OFF: 0.75KG/CM2 |  |
| HC.19.0379 | 7/16-20UNF FEMALE ON: 17KG/CM2 OFF: 0.7KG/CM2 |  | HC.19.0380 | 1/4-19UNF MALE ON: 5.5KG/CM2 OFF: 3.5KG/CM2 |  |
| HC.19.0381 | 7/16-20UNF FEMALE ON: 1.5KG/CM2 OFF: 0.5KG/CM2 |  | HC.19.0382 | 7/16-20UNF FEMALE ON: 18KG/CM2 OFF: 14.5KG/CM2 |  |
| HC.19.0383 | 7/16-20UNF FEMALE ON: 21.1KG/CM2 OFF: 14KG/CM2 |  | HC.19.0384 | 7/16-20UNF FEMALE ON: 21.5KG/CM2 OFF: 16KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---------------|------------|--|---------------|
| HC.19.0385 | 7/16-20UNF FEMALE ON: 21KG/CM2 OFF: 28KG/CM2 | | HC.19.0386 | 7/16-20UNF FEMALE ON: 20KG/CM2 OFF: 25KG/CM2 | |
| HC.19.0387 | 7/16-20UNF FEMALE ON: 21KG/CM2 OFF: 28KG/CM2 | | HC.19.0388 | 7/16-20UNF FEMALE ON: 28KG/CM2 OFF: 0.75KG/CM2 | |
| HC.19.0389 | 7/16-20UNF FEMALE ON: 17KG/CM2 OFF: 24KG/CM2 | | HC.19.0390 | 7/16-20UNF FEMALE ON: 17.6KG/CM2 OFF: 22.8KG/CM2 | |
| HC.19.0391 | 7/16-20UNF FEMALE ON: 26.4KG/CM2 OFF: 1.76KG/CM2 | | HC.19.0392 | 7/16-20UNF FEMALE ON: 17KG/CM2 OFF: 25KG/CM2 | |
| HC.19.0393 | 7/16-20UNF FEMALE ON: 26.4KG/CM2 OFF: 17.6KG/CM2 | | HC.19.0394 | 7/16-20UNF FEMALE ON: 22.8KG/CM2 OFF: 17.6KG/CM2 | |
| HC.19.0395 | 7/16-20UNF FEMALE ON: 16.5KG/CM2 OFF: 13KG/CM2 | | HC.19.0396 | 7/16-20UNF FEMALE ON: 16.5KG/CM2 OFF: 13KG/CM2 | |
| HC.19.0397 | 7/16-20UNF FEMALE ON: 17.6KG/CM2 OFF: 7.4KG/CM2 | | HC.19.0398 | 7/16-20UNF FEMALE ON: 17KG/CM2 OFF: 26.5KG/CM2 | |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|--|---|
| HC.19.0399 | 7/16-20UNF FEMALE ON: 1.5KG/CM2 OFF: 0.5KG/CM2 |  | HC.19.0400 | M10-P1.25UNF FEMALE ON: 17KG/CM2 OFF: 28.5KG/CM2 |  |
| HC.19.0401 | M10-P1.25UNF FEMALE ON: 21KG/CM2 OFF: 17KG/CM2 |  | HC.19.0402 | 7/16-20UNF FEMALE ON: 19KG/CM2 OFF: 16KG/CM2 |  |
| HC.19.0403 | 7/16-20UNF FEMALE ON: 2.0KG/CM2 OFF: 0.3KG/CM2 |  | HC.19.0404 | M10-P1.25UNF FEMALE ON: 22KG/CM2 OFF: 10KG/CM2 |  |
| HC.19.0405 | M10-P1.25UNF FEMALE ON: 13.5KG/CM2 OFF: 20KG/CM2 |  | HC.19.0406 | 7/16-20UNF FEMALE ON: 20KG/CM2 OFF: 26.5KG/CM2 |  |
| HC.19.0407 | 7/16-20UNF FEMALE ON: 1.9KG/CM2 OFF: 0.5KG/CM2 |  | HC.19.0408 | M10-P1.25UNF FEMALE ON: 21KG/CM2 OFF: 17.6KG/CM2 |  |
| HC.19.0409 | M10-P1.25UNF FEMALE ON: 18.3KG/CM2 OFF: 21KG/CM2 |  | HC.19.0410 | M10-P1.25UNF FEMALE ON: 15.8KG/CM2 OFF: 19.3KG/CM2 |  |
| HC.19.0411 | M10-P1.25UNF FEMALE ON: 21KG/CM2 OFF: 17.5KG/CM2 |  | HC.19.0412 | M10-P1.25UNF FEMALE ON: 1.76KG/CM2 OFF: 2.1KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---|
| HC.19.0413 | M10-P1.25UNF FEMALE ON: 15.8KG/CM2 OFF: 19.3KG/CM2 |  | HC.19.0414 | 7/16-20UNF FEMALE ON: 17.5KG/CM2 OFF: 13.5KG/CM2 |  |
| HC.19.0415 | M10-P1.25UNF FEMALE ON: 21KG/CM2 OFF: 17.5KG/CM2 |  | HC.19.0416 | M10-P1.25UNF FEMALE ON: 2.46KG/CM2 OFF: 0.7KG/CM2 |  |
| HC.19.0417 | 7/16-20UNF FEMALE ON: 16.5KG/CM2 OFF: 13KG/CM2 |  | HC.19.0418 | 7/16-20UNF FEMALE ON: 18KG/CM2 OFF: 26KG/CM2 |  |
| HC.19.0419 | 1/4-18UNF MALE ON: 7.7KG/CM2 OFF: 10.5KG/CM2 |  | HC.19.0420 | 3/8-24 UNF MALE ON: 0.6KG/CM2 OFF: 3.3KG/CM2 |  |
| HC.19.0421 | 3/8-24 UNF MALE ON: 0.19KG/CM2 OFF: 0.18KG/CM2 |  | HC.19.0422 | 3/8-24 UNF MALE HP: 31.5KG/CM2 LP: 2.0KG/CM2 Aperture value:3.5 |  |
| HC.19.0423 | 3/8-24 UNF MALE HP:30KG/CM2 LP:2.0KG/CM2 |  | HC.19.0424 | 3/8-24 UNF MALE HP:27KG/CM2 LP:2.0KG/CM2 |  |
| HC.19.0425 | 3/8-24 UNF MALE HP: 30KG/CM2 LP: 2.0KG/CM2 |  | HC.19.0426 | 7/16-20UNF FEMALE ON: 0.8KG/CM2 OFF: 0.3KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|---|---|
| HC.19.0427 | M11-P1.0 MALE HP: 30KG/CM2 LP: 2.0KG/CM2 |  | HC.19.0428 | 7/16-20UNF FEMALE HP:32KG/CM2 MP:16KG/CM2 LP:1.2KG/CM2 |  |
| HC.19.0429 | M12-P1.5UNF FEMALE ON: 0.27-0.32KG/CM2 OFF: 0.15-0.2KG/CM2 |  | HC.19.0430 | M12-P1.5UNF FEMALE ON: 3.1KG/CM2 OFF: 1.7KG/CM2 |  |
| HC.19.0431 | M12-P1.5 UNF FEMALE ON:3.1KG/CM2 OFF:1.7KG/CM2 |  | HC.19.0432 | M10-P1.25UNF FEMALE HP: 2.7KG/CM2 LP:1.8KG/CM2 |  |
| HC.19.0433 | M10-P1.25UNF FEMALE ON: 21KG/CM2 OFF: 33KG/CM2 |  | HC.19.0434 | M12-P1.5UNF FEMALE ON: 21KG/CM2 OFF: 32KG/CM2 |  |
| HC.19.0435 | M10-P1.25UNF FEMALE ON: 0.14KG/CM2 OFF: 0.05KG/CM2 |  | HC.19.0436 | M10-P1.25UNF FEMALE ON: 2.5KG/CM2 OFF: 1.5KG/CM2 |  |
| HC.19.0437 | M10-P1.25UNF FEMALE ON: 20.5KG/CM2 OFF: 1.5KG/CM2 |  | HC.19.0438 | M12-P1.5UNF FEMALE ON: 0.33KG/CM2 OFF: 0.16KG/CM2 |  |
| HC.19.0439 | M10-P1.25UNF FEMALE ON: 21.5-24KG/CM2 OFF: 13.5-17KG/CM2 |  | HC.19.0440 | M10-P1.25UNF FEMALE ON: 14.5KG/CM2 OFF: 24.5KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|--|---|
| HC.19.0441 | M12-P1.5UNF FEMALE ON: 2.8KG/CM2 OFF: 1.6KG/CM2 |  | HC.19.0442 | M12-P1.5UNF FEMALE ON: 3.1KG/CM2 OFF: 1.7KG/CM2 |  |
| HC.19.0443 | M12-P1.5UNF FEMALE ON: 2.2KG/CM2 OFF: 0.5KG/CM2 |  | HC.19.0444 | M12-P1.5UNF FEMALE ON: 2.8KG/CM2 OFF: 1.5KG/CM2 |  |
| HC.19.0445 | M12-P1.5UNF FEMALE ON: 3.1KG/CM2 OFF: 1.7KG/CM2 |  | HC.19.0446 | M12-P1.5UNF FEMALE ON: 2.1KG/CM2 OFF: 0.7KG/CM2 |  |
| HC.19.0447 | 3/8-24 UNF MALE ON:15.5KG/CM2 OFF: 10.5KG/CM2 |  | HC.19.0448 | 3/8-24 UNF MALE ON:15.5KG/CM2 OFF: 10.5KG/CM2 |  |
| HC.19.0449 | 7/16-20 UNF FEMALE ON: 24KG/CM2 OFF: 32KG/CM2 |  | HC.19.0451 | 3/8-24 UNF MALE ON:20.5KG/CM2 OFF: 15.5KG/CM2 |  |
| HC.19.0452 | M10-P1.25UNF MALE ON: 1.4KG/CM2 OFF: 1.7KG/CM2 |  | HC.19.0453 | M10-P1.25UNF MALE ON: 0.11KG/CM2 OFF: 0.16KG/CM2 |  |
| HC.19.0454 | M10-P1.25UNF MALE ON: 0.12KG/CM2 OFF: 0.17KG/CM2 |  | HC.19.0455 | M10-P1.25UNF MALE ON: 0.16KG/CM2 OFF: 0.09KG/CM2 |  |
| HC.19.0456 | M10-P1.25UNF MALE ON: 0.16KG/CM2 OFF: 0.25KG/CM2 |  | HC.19.0457 | M10-P1.25UNF FEMALE HP: 30KG/CM2 MP:11KG/CM2 LP:2.0KG/CM2 |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|--|---|
| HC.19.0458 | 7/16-20 UNF FEMALE HP: 30KG/CM2 MP:19KG/CM2 LP:2.0KG/CM2 |  | HC.19.0459 | M10-P1.25UNF FEMALE HP: 26KG/CM2 OFF MP:17KG/CM2 ON LP:2.0KG/CM2 OFF |  |
| HC.19.0460 | M10-P1.25UNF FEMALE OFF:32KG/CM2 ON:20KG/CM2 System Mounted High Pressure chryster:4897617AA Dodge 02-98 jeep 02-97 |  | HC.19.0461 | M10-P1.25UNF FEMALE OFF:14.5KG/CM2 ON:12KG/CM2 GM:25604949 Santech:MT1190 BUICK95-94 pontiac95-94 |  |
| HC.19.0462 | M10-P1.25UNF FEMALE CLOSE:375PSI(26KG/CM2) OPEN:250PSU(17.5KG/CM2) Normally Open High Pressure Cut Off |  | HC.19.0463 | M12-P1.5UNF FEMALE CLOSE:5PSI(35KG/CM2) OPEN:35PSI(2.46KG/CM2) Normally Open Low Pressure Cut Off |  |

Compressor switch

| | | | | | |
|------------|--|--|------------|--|--|
| HC.19.0223 | For V5(brown) OE:6557742 ON:3kg/cm2 OFF:2.7kg/cm2 |  HC.19.0223 For V5(brown) OE#6557742 ON:3kg/cm² OFF:2.7kg/cm² | HC.19.0224 | For V5(Black) OE:6551999 ON:3.5kg/cm2 OFF:3.1kg/cm2 |  HC.19.0224 For V5(Black) OE#6551999 ON:3.5kg/cm² OFF:3.1kg/cm² |
| HC.19.0225 | For V5(Purple) OE:6551998 ON: 20.3kg/cm2 OFF:16.1kg/cm2 |  HC.19.0225 For V5(Purple) OE#6551998 ON:20.3kg/cm² OFF:16.1kg/cm² | HC.19.0226 | For V5(Red) OE:6559906 ON: 19.9kg/cm2 OFF:16.2kg/cm2 |  HC.19.0226 For V5(Red) OE#6559906 ON:19.9kg/cm² OFF:16.2kg/cm² |
| HC.19.0227 | For V5(Gray) OE:6551944 ON: 13.5kg/cm2 OFF:17.1kg/cm2 |  HC.19.0227 For V5(Gray) OE#6551944 ON:13.5kg/cm² OFF:17.1kg/cm² | HC.19.0228 | For V5(Blue) OE:6559741 ON: 14.7kg/cm2 OFF:29.8kg/cm2 |  HC.19.0228 For V5(Blue) OE#6559741 ON:14.7kg/cm² OFF:29.8kg/cm² |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|----------------------------|---|--|------------|--|---|
| HC.19.0229 | ON:16kg/cm2 OFF:34kg/cm2 |  HC.19.0229 ON:16kg/cm ² OFF:34kg/cm ² | HC.19.0230 | ON:16kg/cm2 OFF:33kg/cm2 |  HC.19.0230 ON:16kg/cm ² OFF:33kg/cm ² |
| HC.19.0231 | OE:2057 ON:25.7kg/cm2 OFF:32.4kg/cm2 |  HC.19.0231 OE#2057 ON:25.7kg/cm ² OFF:32.4kg/cm ² | HC.19.0232 | OE:2724976 ON:18kg/cm2 OFF:34kg/cm2 |  HC.19.0232 OE#2724976 ON:18kg/cm ² OFF:34kg/cm ² |
| HC.19.0233 | For GM 93-97 Harrison A6/DA6 OE:2724236 ON:17kg/cm2 OFF:35kg/cm2 |  HC.19.0233 For GM 93-97 Harrison A6/DA6 OE#2724236 ON:17kg/cm ² OFF:35kg/cm ² | HC.19.0234 | For GM 93-97 Harrison A6/DA6 OE:6551358 6551454 2724020 OFF:2.0kg/cm2 |  HC.19.0234 For GM 93-77 Harrison A6 OE#6551358 6551454 2724020 OFF:2.0kg/cm ² |
| HC.19.0235 | For GM 94-82 Harrison A6 OE:6551751 2724256 ON:15kg/cm2 OFF:32kg/cm2 |  HC.19.0235 For GM 94-82 Harrison A6 OE#6551751 2724256 ON:15kg/cm ² OFF:32kg/cm ² | HC.19.0236 | For GM 93-84 Harrison A6/DA6 OE:2724297 ON:17kg/cm2 OFF:13.5kg/cm2 |  HC.19.0236 For GM 93-84 Harrison A6/DA6 OE#2724297 ON:17kg/cm ² OFF:13.5kg/cm ² |
| HC.19.0237 | For GM 88-80 OE:2724064 6551459 ON:21kg/cm2 OFF:17kg/cm2 |  HC.19.0237 For GM 88-80 OE#6551459 2724064 ON:21kg/cm ² OFF:17kg/cm ² | | | |
| Pressure transducer | | | | | |
| HC.19.0239 | For Opel Astra OE:6850512 M10-1.25 Female 1.25 VOLTS @ 100PSI 2.18 VOLTS @ 200PSI 3.15 VOLTS @ 300PSI 4.08 VOLTS @ 400PSI 4.76 VOLTS @ 471PS SATURATION |  HC.19.0239 For Opel Astra OE#6850512 M10-1.25 FEMALE 1.25VOLTS @ 100PSI 2.18VOLTS @ 200PSI 3.15VOLTS @ 300PSI 4.08VOLTS @ 400PSI 4.76VOLTS @ 471PS SATURATION | HC.19.0240 | OE:22678731 6850512 9131721 6ZL351028231 For Opel astra |  HC.19.0240 OE#22678731 6850512 9131721 6ZL351028231 For Opel Astra |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|--|------------|--|---|
| HC.19.0241 | OE:22678731 6850512 9131721 6ZL351028231 For Opel astra |  HC.19.0241 OE#22678731 6850512 9131721 6ZL351028231 For Opel Astra | HC.19.0242 | For Opel |  HC.19.0242 For Opel |
| HC.19.0243 | For Nissan sunny |  HC.19.0243 For Nissan sunny | HC.19.0244 | For Nissan 09-00 3/8"-24 Male 1.38VOLTS@100PSI 2.4 VOLTS@200PSI 3.43 VOLTS@300PSI 4.16 VOLTS@400PSI 4.16 VOLTS@398PS SATURATION |  HC.19.0244 3/8"-24 MALE 1.38VOLTS @ 100PSI 2.40VOLTS @ 200PSI 3.43VOLTS @ 300PSI 4.16VOLTS @ 400PSI 4.16VOLTS @ 398PS SATURATION For Nissan 09-00 |
| HC.19.0245 | For Renault OE:9647971280 52CP1005 23KBMX13 |  HC.19.0245 For Renault OE#9647971280 52CP1005 23KBMX13 | HC.19.0246 | For Renault OE:9647971280 52CP1005 23KBMX13 |  HC.19.0246 For Renault OE#9647971280 52CP1005 23KBMX13 |
| HC.19.0247 | For Volvo S40 |  HC.19.0247 For Volvo S40 | HC.19.0248 | For BMW E46 OE:64536909257 |  HC.19.0248 For BMW E46 OE#6453 6909257 |
| HC.19.0249 | For Chrysler cars Mercedes 3/8"-24 Male 1.21 VOLTS@100PSI 2.07 VOLTS@200PSI 2.9 VOLTS@300PSI 3.75 VOLTS@400PSI 4.00 VOLTS@400PS SATURATION |  HC.19.0249 3/8"-24 MALE 1.21VOLTS @ 100PSI 2.07VOLTS @ 200PSI 2.90VOLTS @ 300PSI 3.75VOLTS @ 400PSI 4.00VOLTS @ 440PS SATURATION Chrysler cars Mercedes | HC.19.0250 | M11-P1.0 Male For Volvo |  HC.19.0250 M11-P1.0 Male For Volvo |
| HC.19.0251 | For BMW BENZ OE:0045429018 0045428010 |  HC.19.0251 For BMW BENZ OE#0045-429018 0045-428010 | HC.19.0252 | For Mercedes Benz |  HC.19.0252 For Mercedes Benz |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|---|---|
| HC.19.0253 | For Mercedes Benz |  HC.19.0253 For Mercedes Benz | HC.19.0254 | For Dodge tracks 07-01 Jeep 07-05 M10-1.25 Female 1.06 VOLTS@100PSI 1.97 VOLTS@200PSI 2.88VOLTS@300PSI 3.8 VOLTS@400PSI 4.82 VOLTS@515PS SATURATION |  HC.19.0254 M10-1.25 FEMALE 1.06VOLTS @ 100PSI 1.97VOLTS @ 200PSI 2.88VOLTS @ 300PSI 3.8VOLTS @ 400PSI 4.82VOLTS @ 515PS SATURATION Dodge tracks 07-01 Jeep 07-05 |
| HC.19.0255 | For VW 09-92 Audi 09-02 7/16"-20 Female 1.47VOLTS@100PSI 2.33 VOLTS@200PSI 3.2 VOLTS@300PSI 4.06 VOLTS@400PSI 4.38 VOLTS@462PS SATURATION |  HC.19.0255 OE#1KO 959 126 7/16" -20 FEMALE 1.47VOLTS @ 100PSI 2.33VOLTS @ 200PSI 3.20VOLTS @ 300PSI 4.06VOLTS @ 400PSI 4.38VOLTS @ 462PS SATURATION Volkswagen 09-92 Audi 09-02 | HC.19.0256 | For Chrysler cars 07-93 Dodge tracks 07-00 Jeep 07-97 M10-1.25 Female 1.5VOLTS@100PSI 1.8 VOLTS@200PSI 2.85VOLTS@300PSI 3.5 VOLTS@400PSI 4.25 VOLTS@464PS SATURATION |  HC.19.0256 M10-1.25 FEMALE 1.50 VOLTS @ 100PSI 1.80 VOLTS @ 200PSI 2.85 VOLTS @ 300PSI 3.50 VOLTS @ 400PSI 4.25VOLTS @ 464PS SATURATION Chrysler Cars 07-93 Dodge Trucks 07-00 Jeep 07-97 |
| HC.19.0257 | M10-1.25 Female |  HC.19.0257 M10-1.25 FEMALE | HC.19.0258 | For Acura 09-05 Honda 09-06 M11-1.0 Male 1.34VOLTS@100PSI 2.25VOLTS@200PSI 3.16VOLTS@300PSI 4.07VOLTS@400PSI 4.57VOLTS@455PS SATURATION |  HC.19.0258 M11-1.0 MALE 1.34 VOLTS @ 100PSI 2.25 VOLTS @ 200PSI 3.16 VOLTS @ 300PSI 4.07 VOLTS @ 400PSI 4.57 VOLTS @ 455PS SATURATION Acura 09-05 Honda 09-06 |
| HC.19.0259 | For Audi OE:8F0959126 8E0959126 |  HC.19.0259 For Audi OE#8F0959126 | HC.19.0260 | M10-1.25 UNF Female Close:375 PSI(26kg/cm ²) Open:250PSI(17.5kg/cm ²) Normally Open High Pressure Cut off |  HC.19.0260 M10-1.25 UNF FEMALE CLOSE:375PSI (26kg/cm ²) OPEN:250PSU (17.5kg/cm ²) Normally Open High Pressure Cut Off |
| HC.19.0261 | M12-1.5 UNF Female Close:35PSI(2.46kg/cm ²) Open:5PSI(35kg/cm ²) Normally Open Low Pressure Cut off |  HC.19.0261 M12-1.5 UNF Female Opens:5psi(35kg/cm ²) close:35psi(2.46kg/cm ²) Low Pressure cut off Normally open | HC.19.0262 | M12-P1.5UNF Female OFF:1.5kg/cm ² ON:2.5kg/cm ² System mounted clutch cycling Pressure switch Chryster: 5016417AA,5018449AA, 5018745AA,5080867AA Jeep:4897613AA Santech:MT1007 Chryster 02-01 Dodge 02-97 Jeep:07-98 |  HC.19.0262 M12-P1.5UNF FEMALE OFF:1.5kg/cm ² ON:2.5kg/cm ² System Mounted Clutch Cycling Pressure Switch Chrysler:5016417AA,5018449AA, 5018745AA,5080867AA Jeep:4897613AA Santech:MT1007 Chrysler 02-01 Dodge 02-97 Jeep 07-98 |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---|
| HC.19.0263 | M10-1.25 UNF Female OFF:32kg/cm2 ON:20kg/cm2 System mounted high pressure cut-out switch chryster:4897617AA Santech:MT0467 Dodge 02-98 Jeep 02-97 |  HC.19.0263 M10-P1.25UNF FEMALE OFF:32kg/cm² ON:20kg/cm² System Mounted High Pressure Cut-Out Switch Chrysler:4897617AA Santech:MT0467 Dodge 02-98 Jeep 02-97 | HC.19.0264 | M10-P1.25UNF Female OFF:14.5kg/cm2 ON:12kg/cm2 System mounted condenser fan switch GM:25604949 Santech:MT 1190 Buick 95-94 Olds 95-94 Pontiac 95-94 |  HC.19.0264 M10-P1.25UNF FEMALE OFF:14.5kg/cm² ON:12kg/cm² System Mounted Condenser Fan Switch GM:25604949 Santech:MT1190 Buick 95-94 Olds 95-94 Pontiac 95-94 |
| HC.19.0267 | For Ford OE#4673935 |  | HC.19.0268 | For audi OE4H0959126A/b |  |
| HC.19.0269 | For Audi OE:4H0959126A |  | HC.19.0270 | For Audi OE:3R0959126 |  |
| HC.19.0271 | For Audi OE:5K0959126 |  | HC.19.0272 | For Audi OE: 500959126A |  |
| HC.19.0273 | FOR BENZ |  | HC.19.0274 | FOR FORD |  |
| HC.19.0275 | FOR FORD OE:BT4Z-19D594-A 3pin |  | HC.19.0276 | FOR: RENAULT OE: 921361722R |  |
| HC.19.0277 | FOR VOLVO |  | | | |

FUEL RAIL PRESSURE SENSOR FOR DELPHI/SENSATA TYPE

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---|
| HC.19.0464 | OE:04L906054 For Skoda Audi Seat TDI |  | HC.19.0465 | OE:03C906051C FORAUDI A4 A5 A7 A8 Q7 VW Touareg 3.0L |  |
| HC.19.0466 | OE:059130758K 55PP24-02 FOR VW SKODA AUDI A4 A5 A8 |  | HC.19.0467 | OE:03C906051D 06D906051A 06H906051A 06D906051C 06J906051C 55PP16-03 For VW Volkswage Passat Touareg Audi A6 A7 Q7 |  |
| HC.19.0468 | OE:6S7Q-9D280-AA 2S7Q-9D280-AE FOR FORD TRANSIT FOCUS Jaguar X-Type Renault |  | HC.19.0469 | OE:8C1Q9D280AA FOR nissan navara d40 Pathfinder Peugeot |  |
| HC.19.0470 | OE:05A906051 55PP28-01 for vag vw Touareg TOUA AUDI A6 A7 Q5 Q7 |  | HC.19.0471 | OE:8C1Q-9D280-AA 1570PI 1497163 1465A034 FOR FORD/PSA/FIAT/NISSAN /MITSUBISHI OPEL |  |
| HC.19.0472 | OE:9655465480 6PH1001.1 FOR FOCUS/FIESTA/FUSI ON CITROEN PEUGEOT |  | HC.19.0473 | OE:9664111780 9654592680 1447993 1920GW 3M5Q-9D280-AC 3M5Q-9D280-AA 2S6Q-9D280-AA FOR FORD FOCUS MK2 FIESTA MK5 PEUGEOT 107 |  |
| HC.19.0474 | OE:9670076780 169339 FOR FORD/MAZDA PSA/VOLVO |  | HC.19.0475 | OE:4M5Q-9D280-DB FOR FORD FOCUS MONDEO GALAX |  |
| HC.19.0476 | OE:499000-6160 FOR NISSAN TOYOTA |  | HC.19.0477 | OE:21634021 FOR VOLVO |  |











| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---|
| HC.19.0478 | OE:059130758E 55PP09-01 FOR VW SKODA AUDI A4 A5 A8 |  | HC.19.0479 | OE:55PP07-02 9307Z512A FOR MERCEDES-BENZ KIA CARNIVAL SEDONA BONGO |  |







FUEL RAIL PRESSURE SENSOR FOR BOSCH TYPE

| | | | | | |
|------------|--|---|------------|---|---|
| HC.19.0480 | REF: 0281002788 FOR LAND ROVER OPEL BWM FORD |  | HC.19.0481 | REF: 0281002909 FOR LAND ROVER OPEL BWM FORD |  |
| HC.19.0482 | REF:0281002846 FOR IVECO VW DAF |  | HC.19.0483 | REF: 0281002937 FOR VOLVO IVECO MAN OPEL FIAT LANCIA |  |
| HC.19.0484 | REF:0281006158 FOR:RENAULT JACK MAN OPEL FIAT IVECO |  | HC.19.0485 | REF:0281002908 FOR HYUNDAI FIAT RENAULT MITSUBISHI |  |
| HC.19.0486 | REF:0281002867 FOR LAND ROVER OPEL BWM FORD |  | HC.19.0487 | REF:0281002907 FOR RENAULT VW |  |
| HC.19.0488 | REF:0281006327 FOR CUMMINS DODGE KOMATSU |  | HC.19.0489 | REF:0281002851 FOR CUMMINS DODGE FORD |  |
| HC.19.0490 | REF:0261545050 FOR AUDI SEAT VW |  | HC.19.0491 | REF:03C906051C FOR AUDI |  |









| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|---|---|
| HC.19.0492 | REF:04L906054 FOR AUDI A4 A3 VW GOLF |  | HC.19.0493 | REF:059130758K FOR AUDI A4 A5 A6 Q5 Q7 VW PHAETON TOUAREG |  |
| HC.19.0494 | FOR BENZ OE:0045-429018 |  | HC.19.0495 | FOR AIR SUSPENSION |  |

PRESSURE SWITCH FOR EXCVAVTOR

| | | | | | |
|------------|--|---|------------|---|---|
| HC.19.0496 | 7/16-20 UNF MALE ON:7KG/CM2 OFF:5KG/CM2 For Hitachi E880B/C OE:119-9985X03 |  | HC.19.0497 | 7/16-20 UNF MALE ON:9.5KG/CM2 OFF:4.5KG/CM2 |  |
| HC.19.0498 | 7/16-20 UNF MALE ON:7KG/CM2 OFF:5KG/CM2 |  | HC.19.0499 | 7/16-20 UNF MALE ON:9.5KG/CM2 OFF:4.5KG/CM2 EXCAVATOR PRESSURE SWITCH FOR Caterpillar E320 OE:106-0180X03 |  |
| HC.19.0500 | 7/16-20 UNF MALE ON:25KG/CM2 OFF:18KG/CM2 OE:119-9985X01 F8Z |  | HC.19.0501 | 7/16-20 UNF MALE ON:15KG/CM2 OFF:12KG/CM2 OE:106-0179X03 R7Z |  |
| HC.19.0502 | 7/16-20 UNF MALE ON:4.8KG/CM2 OFF:3.3KG/CM2 OE:106-0181X02 H7Z |  | HC.19.0503 | 7/16-20 UNF MALE ON:27.5KG/CM2 OFF:21.5KG/CM2 OE:106-0180X02 H7Z |  |
| HC.19.0504 | 7/16-20 UNF MALE ON:5.0KG/CM2 OFF:3.5KG/CM2 OE:167-3466X02 X7Z |  | HC.19.0505 | 7/16-20 UNF MALE ON:27.5KG/CM2 OFF:21KG/CM2 OE:126-2938X00 T8Z |  |

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|--|---|------------|---|---|
| HC.19.0506 | 7/16-20 UNF MALE ON:27.5KG/CM2 OFF:21KG/CM2 OE:E861-03205 R7Z |  | HC.19.0507 | 7/16-20 UNF MALE ON:13KG/CM2 OFF:10KG/CM2 |  |
| HC.19.0508 | 1/8-27 NPT MALE ON:5.0KG/CM2 OFF:3.0KG/CM2 Excavator Pressure Switch OE:207-06-15190 |  | HC.19.0509 | 1/8-27 NPT MALE ON:5.5KG/CM2 OFF:3.5KG/CM2 |  |
| HC.19.0510 | 1/8-27 NPT MALE ON:0.05KG/CM2 Oil Pressure Switch OE:207-06-15190 |  | HC.19.0511 | 7/16-20 UNF MALE ON:26.5KG/CM2 OFF:21KG/CM2 |  |

AIR-COMPRESSOR PRESSURE SWITCH

| | | | | | |
|------------|--|---|------------|--|---|
| HC.19.0512 | 1/8 NPT-27 UNF MALE OFF: 14.5KG/CM2 ON:11.5KG/CM2 |  | HC.19.0513 | 1/8 NPT-27 UNF MALE OFF: 10.5KG/CM2 ON:8KG/CM2 |  |
| HC.19.0514 | 1/8 NPT-27 UNF MALE OFF: 7KG/CM2 ON:5KG/CM2 |  | HC.19.0515 | 1/8 NPT-27 UNF MALE OFF: 12KG/CM2 ON:10KG/CM2 |  |
| HC.19.0516 | 1/8 -27 UNF MALE OFF: 6KG/CM2 ON:3KG/CM2 |  | HC.19.0517 | 8*1 UNF MALE OFF: 4KG/CM2 ON:3.5KG/CM2 |  |
| HC.19.0518 | 8*1 UNF MALE OFF: 6KG/CM2 ON:5KG/CM2 |  | HC.19.0519 | 1/8 -27 UNF MALE OFF: 18KG/CM2 ON:13KG/CM2 |  |

PRESSURE SWITCH FOR CUSTOMIZATION

| Item No. | Specification | Product Photo | Item No. | Specification | Product Photo |
|------------|---|---|------------|--|---------------|
| HC.19.0520 |  |  | HC.19.0521 |  | HC.19.0522 |
| HC.19.0523 |  |  | HC.19.0524 |  | HC.19.0525 |
| HC.19.0526 |  |  Backlight switch | HC.19.0527 | | |

COMMERCIAL REFRIGERATION PRESSURE SWITCH

| | | | | | |
|------------|--|--|------------|--|------------|
| HC.19.0528 | ON:25PSI OFF:80PSI  | ON:40PSI OFF:80PSI  | HC.19.0529 | ON:300PSI OFF:200PSI  | HC.19.0530 |
| HC.19.0531 | ON:400PSI OFF:300PSI  | ON:190PSI OFF:275PSI  | HC.19.0532 | ON:10PSI OFF:40PSI  | HC.19.0533 |
| HC.19.0534 | ON:210PSI OFF:300PSI  | ON:300PSI OFF:150PSI  | HC.19.0535 | ON:300PSI OFF:250PSI  | HC.19.0536 |
| HC.19.0537 | ON:400PSI OFF:250PSI  | ON:390PSI OFF:270PSI  | HC.19.0538 | ON:375PSI OFF:250PSI  | HC.19.0539 |